

DEPARTMENT OF WATER AFFAIRS AND FORESTRY Directorate: National Water Resource Planning

Internal Strategic Perspective

Middle Vaal Water Management Area











July 2004

FFF

WRP_FC421

Department of Water Affairs and Forestry Directorate National Water Resource Planning

INTERNAL STRATEGIC PERSPECTIVE FOR THE MIDDLE VAAL WATER MANAGEMENT AREA (WMA No 9)

APPROVAL

Title	:	Internal Strategic Perspective: Middle Vaal Water Management Area
DWAF Report No	:	P WMA 09/000/0304
Consultants	:	PDNA, WRP Consulting Engineers (Pty) Ltd, WMB and Kwezi-V3
Report Status	:	Version 1
Version Controller	:	Mr W Liebenberg
Date	:	July 2004

Approved for Consultants by:

PG van Rooyen Project Leader

K Haumann Deputy Project Leader

DEPARTMENT OF WATER AFFAIRS AND FORESTRY Directorate National Water Resource Planning Approved for Department of Water Affairs and Forestry by:

Cemerer

JI Rademeyer Project Manager

JA vàn Rooyen Manager: NWRP

REFERENCE

This report is to be referred to in bibliographies as:

Department of Water Affairs and Forestry, South Africa, *Middle Vaal Water Management Area: Internal Strategic Perspective*, 2004. Prepared by PDNA, WRP Consulting Engineers (Pty) Ltd, WMB and Kwezi-V3 on behalf of the Directorate: National Water Resource Planning. DWAF Report No P WMA 09/000/00/0304)

INVITATION TO COMMENT

This report will be updated on a regular basis until it is eventually superceded by the Catchment Management Strategy. Water users and other stakeholders in the Middle Vaal WMA and other areas are encouraged to study this report and to submit any comments they may have to the Version Controller (see box overleaf).

ELECTRONIC VERSION

This report is also available in electronic format as follows:

- DWAF website:
 - Intranet: <u>http://dwaf-www.pwv.gov.za/documents/</u>
 - Internet: http://www.dwaf.gov.za/documents/
- On CD which can be obtained from DWAF Map Office at: 157 Schoeman Street, Pretoria (Emanzini Building) +27 12 336 7813 <u>mailto:apm@dwaf.gov.za</u>

or from the Version Controller (see box overleaf)

The CD contains the following reports (all available on DWAF website)

- Middle Vaal WMA Internal Strategic Perspective (*This Report*) (Report No: P WMA 09/000/0304)
- Vaal River Overarching Internal Strategic Perspective (Report No: P RSA C000/00/0103)
- The National Water Resource Strategy, First Edition 2004
- The Middle Vaal WMA Overview of Water Resources Availability and Utilisation (Report No: P WMA 09/000/0203)
- The Middle Vaal WMA Water Resources Situation Assessment (Report No: P WMA 08/000/0302)

LATEST VERSION

This report is a living document and will be updated on a regular basis. If the version of this report is older than 12 months, please check whether a later version is not available.

This can be done on the DWAF website: <u>http://www.dwaf.gov.za/documents/</u>

or by contacting the Version Controller (see box below)

VERSION CONTROL MIDDLE VAAL WMA INTERNAL STRATEGIC PERSPECTIVE	
Version 1	July 2004
(Previous Version/s)	(Date/s)
Current Version Controller	Mr W Liebenberg Private Bag X936 Potchefstroom 2520 +27 18 297 3867 Liebenw@dwaf.gov.za
(The most significant amendments i indicated here.)	ncluded in the latest version will be

Internal Strategic Perspective for the Middle Vaal Water Management Area (WMA 9) EXECUTIVE SUMMARY

Introduction

The Internal Strategic Perspective (ISP) for the Middle Vaal Water Management Area (WMA) is described in this document, and represents the Department of Water Affairs' (DWAF) view on how Integrated Water Resource Management (IWRM) should be practiced in the WMA

The emphasis in this document is on aspects that are specific to the Middle Vaal WMA. The Middle Vaal WMA is part of a greater water supply system which includes a number of neighbouring WMAs. The strategies for IWRM for the greater system are presented in the **Vaal Overarching ISP**. The Middle Vaal ISP should be read in conjunction with the Vaal Overarching ISP to get a complete understanding of the strategies and issues.

The information in the report has been compiled from past studies, but more importantly, it captures the knowledge of DWAF officials that are active in the different spheres of water resource management of the Vaal River System. In the drafting of the perspectives or strategies contained in this document, cognisance was taken of the legal requirements of the National Water Act and the strategic direction or framework given by the **National Water Resource Strategy** (NWRS).

Water resource management is carried out in a changing environment and it should be recognised that this ISP is based on the prevailing situation and conditions at the time of compiling the document. It is the intention of DWAF to regularly update this document to keep the information and strategies relevant.

Overview of the Middle Vaal Water Management Area

The climatic conditions vary considerably from east to west across the WMA, with the Mean Annual Precipitation (MAP) reducing from 800 mm in the east to 500 mm in the west with an average of 550 mm. This tendency is reversed when considering potential annual evaporation, which increases from 1800 mm in the east to 2600 mm in the dry western parts of the WMA. The land use in the Middle Vaal WMA is characterised by agriculture with the main irrigation crops being wheat, maize, groundnuts, sorghum and sunflowers. There is also extensive gold mining activities located in the Middle Vaal water management area. These activities are generating substantial return flow volumes in the form of treated effluent from the urban areas and mine dewatering that are discharged into the river system. These discharges are having significant impacts on the water quality in the main stem of the Vaal River in the Middle Vaal WMA.

The Middle Vaal WMA has an average economy, contributing approximately 4% of the GDP of South Africa. It is expected that economic activity will remain relatively static in the medium to long term. Although mining is an important contributor to the economy of the region, mining is

DWAF Report No P WMA 09/000/0304

expected to decline and the agricultural sector is expected to continue to play an important role in the economy of this WMA.

Due to the extensive development in the Vaal River System, the local surface water resources in all three the Vaal WMAs have been fully exploited, more than three decades ago. It was therefore necessary to augment the supply by developing various transfer schemes importing water from the Thukela and Usutu to Mhlathuze WMAs, as well as from the Kingdom of Lesotho through the Lesotho Highlands Water Project (LHWP).

Water Availability

The surface water availability in the Vaal River System is estimated through a set of water resource models, each fulfilling a particular function in the management of the water resources. Combined, these models serve as a decision support tool that contains a large and comprehensive database of hydrological and physical system characteristics, required to simulate the water resource systems as realistically as possible. Due to the interdependencies, the management and planning of the Vaal River System is undertaken at the national level and not by the Middle Vaal water managers (CMA when it is established, until then the DWAF Regional Office).

The Middle Vaal water managers will be responsible for the assessment of the availability of the local groundwater and surface water resources used to supply local authorities and district councils without access to the Vaal River System water supply infrastructure.

Water Requirements

The water requirement projections that are currently used for planning originate from the development of the **National Water Resource Strategy (NWRS)**. The total water requirements in the Middle Vaal WMA is 872 million m^3 /annum. The total water requirements for the Middle Vaal are projected to reach 885 million m^3 /annum by the year 2025, for the base growth scenario.

Water Balance Reconciliation

The water balance for the Middle Vaal WMA indicates that for the year 2000, an overall surplus in supply of 6 million m³/annum was available. With the commissioning of Phase 1b of the LHWP (Mohale Dam and transfer tunnel) during the latter part of the year 2003, an additional 344 million m³/annum is available to the Vaal River System. This surplus is expected to be gradually depleted over time to supply the growing water requirements in mainly the Upper Vaal WMA. A surplus of about 4 million m³/annum is projected for the year 2025 using the base requirement scenarios.

What is important to recognise is that this estimated excess in supply is qualified as "**conditional**" since it is only available if all the transfers are fully operational. In practice the volume of water conveyed through the Thukela-Vaal Transfer scheme will be determined annually, effectively

DWAF Report No P WMA 09/000/0304

operating the system such that the water demands are in balance with the supply. The quantity transferred will thus increase over time in line with the growth in the water requirements.

The possible reconciliation options for the Vaal River System are dealt with in the **Vaal Overarching ISP**. The role of the Middle Vaal CMA will largely be water conservation and demand management (WC&DM), trading of water allocations and assisting with the water balances of the local authorities and district municipalities who are dependent on local resources for their supply and not the main water supply infrastructure supported by the Vaal River System.

Due to the very low growth rate of the projected water requirements (projected demand curve is flat) the impact of Water Conservation and Demand Management could result in a substantial decrease in water requirements in the Middle Vaal WMA. It must be noted that, due to the lack of system wide planning information on possible future WC&DM measures, the water balance calculations presented above do not allow for the impacts of WC&DM. This was identified as a gap in the current knowledge in the **Vaal Overarching ISP** and a study is being proposed to collate all planning information on WC&DM. The targets for WC&DM will be set by the Vaal Overarching Study and the role of the Middle Vaal CMA will be to promote WC&DM and encourage the water service providers to achieve their targets.

The allocation of the conditional surplus will be managed by the National Department of Water Affairs and Forestry in accordance with the licensing process and adhering to the conditions that are presented in more detail in **Strategy Table A.3.2** of **Appendix A**.

Water Quality Management

The water quality varies from poor in the highly developed areas to good in the less developed areas. The water quality is impacted on by point discharges from industries, wastewater treatment works, mine dewatering, irrigation return flows and diffuse sources such as runoff from mining and industrial complexes, agriculture and urban areas.

The current approach adopted in managing water quality is to apply the steps presented below on a sub-catchment basis. The first step is to carry out a situation assessment during which Interim Water Quality Objectives (WQO) are established and water quality variables of concern and sources of pollution are identified. The WQO are based on the water quality requirements of the user sectors as well as from the ecology. The subsequent phases in the process, following the situation assessment, are to develop water quality management plans or catchment management strategies. During this phase water management interventions such as source control, treatment and dilution are assessed. These phases also involve the revisiting of the WQO in an iterative manner to reach a balance between the water user requirements and achievable management strategies that do not impede continued economic growth.

The cascading characteristic of the three Vaal WMAs has the consequence that the water quality of the main stem of the Vaal River in the downstream WMAs is impacted on, not only by the activities in the WMA itself, but also by the water received from upstream. In addition, the water

quality in the Vaal River will also impact on the water quality of the Orange River in the Lower Orange WMA. Due to this inter-dependency it was identified that the current process of managing water at sub-catchment level, should be expanded to integrate management activities across subcatchments, to meet shared water quality objectives in major tributaries as well as in the main stem of the Vaal River. This study has been prioritised as part of the **Vaal Overarching ISP**. The Middle Vaal CMA will have to revisit existing WQO and carry out future development of subcatchment strategies within the framework of the Integrated Study.

Institutional Aspects

The role of the Middle Vaal WMA CMA will include:

- To manage the water quality by setting WQOs and developing a CMS as per the Water Quality Management Strategy. The setting of the WQOs will be within the framework of the Integrated Water Quality Management Plan for the Vaal River System (See details in **Strategy A2.2**).
- The monitoring of the system to provide management information for water quality management, abstraction control and input to the overarching operations and planning processes.
- Provide input into the supply of local authorities from local groundwater and surface water resources. This will be in the form of strategic level guidance as to where water can be obtained and the level of study needed to be submitted with the license application.
- All water use licences will be issued through the Middle Vaal WMA CMA.
- A very important communication role between the Water Users and the utility/DWAF Head Office
- Promotion of WC&DM through the water service providers and local authorities/DWAF Head Office to achieve efficient use of water. Only once efficient use has been achieved can further transfers be considered.
- Other delegated functions as determined during the process of establishing the CMA.

Water Infrastructure Management

Due to the inter dependencies of the Vaal WMAs, the operation of the infrastructure has to be undertaken in a coordinated way to achieve the best efficiencies and balance potential among stakeholders. This management will therefore be undertaken at the National level.

The Middle Vaal CMA may, depending on the findings of the Integrated Water Quality Study, be responsible for the management of treatment and reuse infrastructure for mine dewatering and sewage treatment plant return flows.

Monitoring and Information Management

The successful operation of the Vaal River System requires effective monitoring networks and information management systems. There is an extensive network of flow, rainfall and water quality

DWAF Report No P WMA 09/000/0304

monitoring stations in the catchment. However, studies have highlighted the need to expand the monitoring network to include more gauges to determine river losses, bulk distribution system losses, and to track water requirements. Bio-monitoring should be included to assist with the determination and implementation of the ecological Reserve. A consolidated assessment needs to be made of all the monitoring and data management requirements of the Vaal River System. This process should identify all the water resource management activities that require monitoring information, and should focus on the integration of monitoring systems that are directly under control of the Department, as well as from other institutions.

The Middle Vaal water managers will be required to co-ordinate all the monitoring and information requirements within the WMA. This will include the compliance and other monitoring requirements of the WMA itself as well as the monitoring requirements of the Vaal River System to be used by the National body carrying out the overarching management.

ISP Implementation Strategy

The ISP is intended to act as DWAFs perspective on how the Middle Vaal WMA water resources should be managed. The final ISP will be published and be open to comments from local authorities, water user associations and other water related forums and interested stakeholders. Mechanisms are to be put in place to capture anomalies and it is intended that formal updates of the document will occur periodically until such time as the Catchment Management Agency is technically functional and a Catchment Management Strategy developed.

Internal Strategic Perspectives (ISPs) for the Central Region : Middle Vaal Water Management Area (WMA 9)

TABLE OF CONTENTS

Executive Summary	v-ix
List of Abbreviations and Glossary of Terms	x-xii

CHAP1 PERSP	ER 1 :BACKGROUND TO THE MIDDLE VAAL WMA INTERNAL STRATEGIC
1.1	LOCATION OF THE MIDDLE VAAL WMA1
1.2	WATER LEGISLATION AND MANAGEMENT1
1.3	INTERNAL STRATEGIC PERSPECTIVES (ISPs)4
1.4	INTEGRATED WATER RESOURCE MANAGEMENT (IWRM)7
1.5	CARING FOR THE ENVIRONMENT9
1.6	THE SOCIAL ENVIRONMENT11
1.7	WATER QUALITY MANAGEMENT12
1.8	GROUNDWATER14
1.9	PUBLIC RECREATION - THE USE OF DAMS AND RIVERS
1 10	$CO_{-}OPERATIVE COVERNANCE - the place of the ISP 15$
1.10	
CHAPT MIDDL 2.1	ER 2 : BROAD PERSPECTIVE REGARDING THE WATER SITUATION IN THE EVAAL WMA
CHAPT MIDDL 2.1 2.2	ER 2 : BROAD PERSPECTIVE REGARDING THE WATER SITUATION IN THE E VAAL WMA Introduction 2-1 General Catchment Description
CHAPT MIDDL 2.1 2.2 2.3	ER 2 : BROAD PERSPECTIVE REGARDING THE WATER SITUATION IN THE E VAAL WMA Introduction 2-1 General Catchment Description Resource availability
CHAPT MIDDL 2.1 2.2 2.3 2.4	ER 2 : BROAD PERSPECTIVE REGARDING THE WATER SITUATION IN THE E VAAL WMA Introduction General Catchment Description Resource availability 2-9 Water Requirements
CHAPT MIDDL 2.1 2.2 2.3 2.4 2.5	ER 2 : BROAD PERSPECTIVE REGARDING THE WATER SITUATION IN THE E VAAL WMA 2-1 Introduction 2-1 General Catchment Description 2-3 Resource availability 2-9 Water Requirements 2-14 Water Balance 2-16
CHAPT MIDDL 2.1 2.2 2.3 2.4 2.5 2.6	ER 2 : BROAD PERSPECTIVE REGARDING THE WATER SITUATION IN THE E VAAL WMA 2-1 Introduction 2-1 General Catchment Description 2-3 Resource availability 2-9 Water Requirements 2-14 Water Balance 2-16 Water Reconciliation Options 2-18
CHAPT MIDDL 2.1 2.2 2.3 2.4 2.5 2.6 2.7	ER 2 : BROAD PERSPECTIVE REGARDING THE WATER SITUATION IN THE E VAAL WMA 2-1 Introduction 2-1 General Catchment Description 2-3 Resource availability 2-9 Water Requirements 2-14 Water Balance 2-16 Water Quality Management 2-18
CHAPT MIDDL 2.1 2.2 2.3 2.4 2.5 2.6 2.7 2.8	ER 2 : BROAD PERSPECTIVE REGARDING THE WATER SITUATION IN THE E VAAL WMA 2-1 Introduction 2-1 General Catchment Description 2-3 Resource availability 2-9 Water Requirements 2-14 Water Balance 2-16 Water Quality Management 2-19 Infrastructure System Management 2-20
CHAPT MIDDL 2.1 2.2 2.3 2.4 2.5 2.6 2.7 2.8 2.9	ER 2 : BROAD PERSPECTIVE REGARDING THE WATER SITUATION IN THE EVAAL WMA 2-1 Introduction 2-1 General Catchment Description 2-3 Resource availability 2-9 Water Requirements 2-16 Water Reconciliation Options 2-18 Water Quality Management 2-19 Infrastructure System Management 2-20 Monitoring and Information Systems 2-20

APPENDIX A : MIDDLE VAAL WMA STRATEGY TABLES APPENDIX B : MAPS AND FIGURES APPENDIX C : LIST OF TOWNS IN MIDDLE VAAL WMA APPENDIX D : GROUNDWATER REPORT

LIST OF ABBREVIATIONS

Acronym	Meaning
СМА	Catchment Management Agency
CMS	Catchment Management Strategy
DDG	Deputy Director General
DEAT	Department of Environment Affairs and Tourism
DWAF	Department of Water Affairs and Forestry
EFMP	Environmental Flow Management Plan
EFR	Ecological Flow Requirements
EIA	Environmental Impact Assessment
EMC	Ecological Management Class
EMPR	Environmental Management Plan Report
GWS	Government Water Scheme
IDP	Integrated Development Programme
IFA	Instream Flow Assessment
IFR	Instream Flow Requirements
IRDP	Integrated Rural Development Programme
ISP	Internal Strategic Perspective
IWQMP	Integrated Water Quality Management Plan
IWRM	Integrated Water Resources Management
LHWP	Lesotho Highlands Water Project
MAP	Mean Annual Precipitation
MAR	Mean Annual Runoff
NEMA	National Environmental Management Act
NGO	Non Governmental Organisation
NWA	National Water Act
NWRS	National Water Resources Strategy
ORRS	
OVIS	Orange Vaal Transfer Scheme
RDM	Resource Directed Measures
RUP	Reconstruction and Development Programme
VAPS	Vaal Augmentation Planning Study
VRSA	Vaal River System Analysis Study
	Water up Authorization and Pagistration Management System
	Water Conservation/ Water Demand Management
	Water Conservation/ Water Demand Management
WIMA WOM	Water Quality Management
	Water Quality Management
WR90	Water Resources 1990 Project
WRSAS	Water Resources Situation Assessment Studies
WSA	Water Services Act
WSAM	Water Situation Assessment Model
WSDP	Water Services Development Plan
WUA	Water Users Association

GLOSSARY OF TERMS

Term	Meaning
Aquiclude	A bed, formation or group of formations essentially impervious to water.
Aquifer	Any strata or a group of interconnected strata comprising of saturated earth
	material capable of conducting groundwater and of yielding usable quantities
	of groundwater to borehole(s) and / or springs (a supply rate of 0.1 L/s is
	considered as a usable quantity). Latin: aqua water and ferre to carry.
Borehole	Drilled hole used to abstract, recharge or monitor groundwater.
	It is the holistic and integrated management of South African water
Catchment Management	resources at catchment level. Its aim is to achieve a balance between
	development and the protection of our water resources and to involve people
	in water resources decision-making processes.
Catchment	An area of land from which any rainfall will drain into the water course or
	watercourses and flow to a common point, has definable physical
	boundaries.
Catchment Management	A water management institution which manages Water Management Area
Agency (CMA)	(WMA).
Catchment Management	A strategy for a water management institution which manages Water
Strategy (CMS)	Management Area (WMA).
Department of Water	DWAF is the national custodian of South Africa's water and forestry
Affairs and Forestry	resources. It is primarily responsible for the formulation and implementation
(DWAF)	of policy governing these two sectors.
Environmental Impact	EIA is a project specific process, which looks at how a proposed
Assessment (EIA)	development might impact on the environment, and at how those impacts
	might be mitigated.
Environmental	The EMF is a spatial inventory, essentially a filing system of information, with
Management	a strong focus on biophysical parameters. Specific environmental
Frameworks (EMF)	management parameters are connected to this information.
Geographical Information	A GIS is a computer-based tool for mapping and analysing things that exist
System (GIS)	and events that happen on Earth. GIS technology integrates common
	database operations such as query and statistical analysis with the unique
	visualisation and geographic analysis benefits offered by maps.
Groundwater Information	The GIIS is essentially a database which contains basic information on the
Index System (GIIS)	sources of groundwater, related subject matter and provides planners and
	consultants with a useful tool to source existing geohydrological reports and
	other relevant data.
Groundwater	All subsurface water occupying voids within a geological stratum.
	IEM has become the umbrella term, or toolbox, within which all
Integrated Environmental	environmental assessment processes, and environmental management
Management (IEM)	practices, reside. IEM has become a guiding philosophy - the interface for
	the various environmental management processes and is the umbrella
	Covering EIA, SEA and EMP.
ventilated Improved Pit-	A sanitation facility consisting of a stable cover or slab over a pit which is
latrine (VIP)	ventilated by a pipe extending above the root of the top structure, with fly-
	proof netting across the top. The interior of the top structure is maintained in
	relative darkness.

Term	Meaning
Working for Water (WfW)	It is a multi-departmental public works programme, with the express purpose
	of dealing effectively with the problem of invading alien plants. It also
	addresses one of the greatest challenges facing South Africa, that of
	unemployment.
Water Management Area	It is an area established as a management unit in the national water
(WMA)	resource strategy within which a catchment management agency will
	conduct the protection, use, development, conservation, management and
	control of water resources. There are 19 WMAs in SA.
Water Resource	WRM ensures management of our water resources to ensure the
Management (WRM)	sustainable utilisation of a very limited resource.
Water Resources	Provides broad guidelines as well as details for the reconciling of water use
Planning (WRP)	requirements against available water resources.
Water Quality	WQM ensures that the water resources of South Africa are fit for use for
Management (WQM)	humans, recognised users, and ensures that the health of the water
	environment is protected and improved on a sustainable basis.
Water Services Act (Act	This Act provides for: the rights of access to basic water supply and basic
108 of 1997) (WSA)	sanitation; the setting of national standards and of norms and standards for
	tariffs; water services development plans; a regulatory framework for water
	services institutions and water services intermediaries; the establishment
	and disbanding of water boards and water services committees and their
	powers and duties; the monitoring of water services and intervention by the
	Minister or by the relevant province; financial assistance to water services
	institutions.
Water Services	Any municipality, including a district or rural council as defined in the Local
Authorities (WSAs)	Government Transition Act, 1993 (Act No. 209 of 1993), responsible for
	ensuring access to water services.
Water Services Providers	Any person who provides water services to consumers or to another water
(WSPs)	services institution, but does not include a water services intermediary.
Water Services	A WSDP focuses on water services, the supply thereof and sanitation. The
Development Plan	focus of a WSDP is to provide effective water services to the consumers in
(WSDP)	accordance with the aims of the Government. It is also a tool to ensure
	effective, sustainable and economical water services that is managed as a
	business.
Yield	Volume of water per unit of time that can be obtained from a borehole