

Table 4.4 Taxa responsible for similarity within Reference Groups are indicated with a ♦. Analyses were run for Reference Groups only (1, 2 and 3) and then including sub-groups (2a and 3a).

Taxon	Group	No sub-groups				Sub-groups			
		1	2	3		2	2a	3	3a
Average similarity (%)		75.5	71.7	68.9		72.9	75.7	72.4	68.8
Brachyura (Crabs)		♦				♦			
Hydropschidae (2 types)		♦							
Planariidae		♦					♦		
Tabanidae		♦							
Leptophlebiidae		♦	♦			♦			
Tipulidae		♦	♦			♦	♦		
Tricorythidae		♦	♦			♦	♦	♦	
Corixidae		♦		♦				♦	
Heptageniidae		♦		♦			♦	♦	♦
Elmidae/Dryopidae		♦	♦	♦		♦		♦	
Gomphidae		♦	♦	♦					
Veliidae		♦	♦	♦		♦		♦	
Psychomyiidae						♦			
Athericidae			♦			♦	♦		
Oligochaeta			♦			♦	♦		♦
Chlorocyphidae							♦		
Perlidae							♦		
Caenidae			♦	♦		♦		♦	
Libellulidae				♦				♦	
Naucoridae				♦				♦	♦
Dytiscidae								♦	
Belastomatidae									♦
Ceratopogonidae									♦
Hydrachnellae									♦
Baetidae (3 types)		♦	♦	♦		♦	♦	♦	♦
Chironomidae		♦	♦	♦		♦	♦	♦	♦
Simuliidae		♦	♦	♦		♦	♦	♦	♦