

7. REFERENCES

- ARMITAGE P. D. , D. MOSS, J. F. WRIGHT AND M. T. FURSE (1983). The performance of a new biological water quality score system based on macroinvertebrates over a wide range of unpolluted running-water sites. *Water Research* **17**: 333-347.
- BAILEY R. C., M. G. KENNEDY, M. Z DERVISH. & R. M. TAYLOR (1998). Biological assessment of freshwater ecosystems using a reference conditions approach: comparing predicted and actual benthic invertebrate communities in Yukon streams. *Freshwater Biology* **39**: 765-774.
- BARBOUR M. T., J. B. STRIBLING & J. R. KARR (1995). Multimetric approach for establishing biocriteria and measuring biological condition. Pages 63-77 in *Biological assessment and criteria. Tools for water resource planning and decision making* (Eds. Davies W. S. & Simon T. P), Lewis Publishers, Florida.
- BARBOUR M. T., J. GERRITSEN, B. D. SNYDER, AND J. B. STRIBLING (1999). *Rapid Bioassessment Protocols for Use in streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates and Fish*, Second Edition. EPA 841-B-99-002. U.S. Environmental Protection Agency; Office of Water; Washington, D.C.
- BROWN C.A., S. EEKHOUT, & J. M. KING (1996). *National Biomonitoring programme for riverine ecosystems: Technical considerations and protocol for the selection of reference and monitoring sites*. National Biomonitoring Programme for Riverine Ecosystems: Report Series No 3. Institute for Water Quality Studies, Department of Water Affairs and Forestry, Pretoria.
- CHESSMAN B. C. (1994). The use of Macroinvertebrates for the Rapid Biological Assessment of Streams in the Sydney Region, New South Wales, Australia. *Joint South African/ Australian Workshop: River Classification and Environmental Health Indicators*, Cape Town.
- CHESSMAN B. C. (1995). Rapid assessment of rivers using macroinvertebrates: a procedure based on habitat-specific sampling, family level identification and a biotic index. *Australian Journal of Ecology* **20**: 122-129.
- CHESSMAN B. C., J. E. GROWNS & A. R. KOTLASH (1997). Objective derivation of macroinvertebrate family sensitivity grades numbers for SIGNAL biotic index: application to the Hunter River System, New South Wales. *Marine and Freshwater Research* **48**: 159-172.
- CHUTTER F.M. (1995). The role of aquatic organisms in the management of river basins for sustainable utilisation. *Water Science and Technology* **32** (5-6): 283-291.
- DALLAS H. F. (1997). A preliminary evaluation of aspects of SASS (South African Scoring System) for the rapid bioassessment of water quality in rivers, with particular reference to the incorporation of SASS in a national biomonitoring programme. *Southern African Journal of Aquatic Sciences* **23** (1): 79-94.
- DALLAS H.F. (2000). *Ecological Reference condition project: Field-manual. General Information, catchment condition, invertebrates and water chemistry*. National Biomonitoring Programme for Riverine Ecosystems: Report Series No 10. Institute for Water Quality Studies, Department of Water Affairs and Forestry, Pretoria, South Africa.
- DALLAS H.F. & J. FOWLER (2000). *Delineation of river types for rivers of Mpumalanga, South Africa: the establishment of a spatial framework for the selection of reference sites*. National Biomonitoring Programme for Riverine Ecosystems: Report Series No 9. Institute for Water Quality Studies, Department of Water Affairs and Forestry, Pretoria, South Africa.
- DALLAS H. F. & J. A. DAY (In prep.) Small-scale patchiness in the distribution of stream invertebrates: effects on sampling strategy.

- DALLAS H. F., J. A. DAY & E.G. REYNOLDS (1995). *The effect of water quality variables on riverine biotas*. Water Research Commission Report No 351/1/94 . Water Research Commission, Pretoria. 230pp.
- DALLAS H. F., J. A. DAY, D. E. MUSIBONO & E. G. DAY (1998). *Water quality for aquatic ecosystems: tools for evaluating regional guidelines*. Water Research Commission Report No. 626/1/98. Water Research Commission, Pretoria. 240pp.
- DAY J.A., H.F. DALLAS & A. WACKERNAGEL (1998). Delineation of management regions for South African rivers based on water chemistry. *Aquatic Ecosystem Health and Management* **1**: 183-197.
- EEKHOUT S. E., C. A. BROWN AND J. M. KING (1996). *National Biomonitoring Programme for Riverine Ecosystems: Technical considerations and protocol for the selection of reference and monitoring sites*. National Biomonitoring Programme for Riverine Ecosystems: Report Series No 3. Institute for Water Quality Studies, Department of Water Affairs and Forestry, Pretoria, South Africa. 68pp.
- EEKHOUT S., J. M. KING & A. WACKERNAGEL (1997). *Classification of South African rivers. Volume 1*. Department of Environment Affairs and Tourism, Pretoria. 125pp.
- FORE L. S., J. R. KARR & R. W. WISSEMAN (1996). Assessing invertebrate responses to human activities: evaluating alternative approaches. *Journal North American Benthological Society* **15** (2): 212-231.
- FOWLER J., H. F. DALLAS & M. P. JANSSENS (2000). *Rivers Database: A User Manual*. National Biomonitoring Programme for Riverine Ecosystems: Report Series No 11. Institute for Water Quality Studies, Department of Water Affairs and Forestry, Pretoria, South Africa.
- FURSE M. T. 2000. The application of RIVPACS procedures in headwater streams - an extensive and important natural resource. In *Assessing the biological quality of fresh waters: RIVPACS and other techniques* (Eds. Wright J. F., Sutcliffe D. W. & Furse M. T.), Freshwater Biological Association, United Kingdom.
- GROWNS J. E., B. C. CHESSMAN, J. E. JACKSON & D. G. ROSS (1997). Rapid assessment of Australian rivers using macroinvertebrates: cost and efficiency of six methods of sampling. *Journal North American Benthological Society* **16** (3): 682-693.
- HANNAFORD M. J. & V. H. RESH (1995). Variability in macroinvertebrate rapid-bioassessment surveys and habitat assessments in a northern California stream. *Journal North American Benthological Society* **14** (3): 430-439.
- HAWKES H. A. (1979). Invertebrates as indicators of water quality. In: *Biological Indicators of water quality*. (Eds. James A. & Evison L.). John Wiley & Sons, Chichester.
- HUGHES R. M. (1995). Defining acceptable biological status by comparing with reference conditions. In *Biological assessment and criteria: tools for water resource planning and decision making*. (eds W. S. Davies & T. P. Simon), pp 31-47. Lewis Publishers, Florida.
- KARR J.R. (1981). Assessment of biotic integrity using fish communities. *Fisheries* **66**: 21-27.
- KAY W. R., M. J. SMITH, A. M. PINDER, J. M. MCRAE, J. A. DAVIS & S. A. HALSE. (1999). Patterns of distribution of macroinvertebrate families in river of north-western Australia. *Freshwater Biology* **41** (2): 299-316.
- KEMPER N.P. (1999). RVI: *Riparian Vegetation Index*. Draft report to the Water Research Commission. WRC Project No. K5/850.
- KERANS B. L., J. R. KARR & S. A. AHLSTEDT (1992). Aquatic invertebrate assemblages: spatial and temporal differences among sampling protocols. *Journal North American Benthological Society* **11** (4): 377-390.
- KLEYNHANS C.J. (1999). The development of a fish index to assess the biological integrity of South African rivers. *Water SA* **25** (3): 265-278.
- KLEYNHANS C.J., M. SILBERBAUER & N. KEMPER (1998). *Preliminary ecoregion level 1 classification for South Africa*. Draft document for the Institute for Water Quality Studies, Department of Water Affairs & Forestry.

- LINKE S., R. C. BAILEY & J. SCHWINDT (1999). Temporal variability of stream bioassessments using benthic macroinvertebrates. *Freshwater Biology* **42**: 575-584.
- LOW A.B. & A.G. REBELO (1996). *Vegetation of South Africa, Lesotho and Swaziland*. Dept. Of Environmental Affairs & Tourism, Pretoria.
- MARCHANT R., A. HIRST, R. H., NORRIS, R. BUTCHER., L. METZELING & D. TILLER (1997). Classification and prediction of macroinvertebrate assemblages from running waters in Victoria, Australia. *Journal North American Benthological Society* **16** (3): 664-681.
- MARCHANT R., A. HIRST, R. NORRIS & L. METZELING (1999). Classification of macroinvertebrate communities across drainage basins in Victoria, Australia.: consequences of sampling on a broad spatial scale for predictive modelling. *Freshwater Biology* **41**: 253-268.
- MARCHANT R., L. A. BARMUTA & B. C. CHESSMAN (1995). Influence of sample quantification and taxonomic resolution on the ordination of macroinvertebrate communities from running waters in Victoria, Australia. *Marine and Freshwater Research* **46** (2): 501-506.
- MCMILLAN P.M. (1998). *An integrated Habitat Assessment System (IHAS v2), for the Rapid Biological Assessment of Rivers and Streams*. A CSIR research project, number ENV-P-1 98132 for the Water Resources Management Programme, CSIR ii + 44pp.
- METCALFE-SMITH J. L. (1991). Biological water quality assessment of rivers based on macroinvertebrate communities. Chapter 3 In. *Rivers Handbook*. Monitoring programmes National Water Research Institute Contribution No. 91-71. Canada.
- MEYER J. L. (1997). Stream health: incorporating the human dimension to advance stream ecology. *J Journal North American Benthological Society* **16** (2): 439-447.
- NORRIS R. H. & A. GEORGES (1993). Analysis and interpretation of benthic macroinvertebrate surveys. In: Rosenberg D. M. & Resh V. H. (Eds). *Freshwater biomonitoring and benthic macroinvertebrates*. Chapman Hall, New York. 488pp.
- OMERNIK J. M. (1995). Ecoregions: A spatial framework for environmental management. In *Biological assessment and criteria: tools for water resource planning and decision making*. Pp. 49-62. (eds W. S. Davies & T. P. Simon), Lewis Publishers, Florida.
- OMERNIK J. M. & R. G. BAILEY (1997). Distinguishing between watersheds and ecoregions. *Journal of the American Water Resources Association*. **33**: 935-949.
- OMERNIK, J. M. (1987). Ecoregions of the conterminous United States. *Annals of the Association of American Geographers* **77**: 118-125.
- PARSONS M. & NORRIS R. H. (1996). The effect of habitat-specific sampling on biological assessment of water quality using a predictive model. *Freshwater Biology* **36**: 419-434.
- PINDER L. C. V., M. LADLE, T. GLEDHILL, J. A. B. BASS AND A. M. MATTHEWS (1987). Biological surveillance of water quality - 1. A comparison of macroinvertebrate surveillance methods in relation to assessment of water quality, in a chalk stream. *Archiv für Hydrobiologie* **109**: 207-226.
- PLAFKIN J. L., M. T. BARBOUR, K. D. PORTER, S. K. GROSS & R. M. HUGHES (1989). *Rapid bioassessment protocols for use in streams and rivers: benthic macroinvertebrates and fish*. U. S. Environmental Protection Agency Report No. EPA/440/4-89-001. Assessment and watershed division, Washington, DC 20460. U.S.A.
- PRIMER (1994). Version 4. Plymouth Marine Laboratory, United Kingdom. 52pp.
- REYNOLDSON T. B. & D. M. ROSENBERG (1996). Sampling strategies and practical considerations in building reference data bases for the prediction of invertebrate community structure. In *Study design and data analysis in benthic macroinvertebrate assessments of freshwater ecosystems using a reference site approach* (eds. R.C Bailey, R. H. Norris & T. B. Reynoldson), 44th Annual Meeting, Montana.
- REYNOLDSON T. B., R. H. NORRIS., V. H. RESH., K. E. DAY & D. M. ROSENBERG 1997. The reference

- condition: a comparison of multimetric and multivariate approaches to assess water-quality impairment using benthic macroinvertebrates. *Journal North American Benthological Society* **16** (4): 833-852.
- RICHARDS C., R. J. HARO, L. B. JOHNSON, G. E. HOST (1997). Catchment and reach-scale properties as indicators of macroinvertebrate species traits. *Freshwater Biology* **37**: 219-230.
- ROSENBERG D. M. & V. H. RESH (1993). *Freshwater biomonitoring and benthic macroinvertebrates*. Chapman & Hall, New York.
- ROUX D. J. (1993). *Evaluation of the SASS2 rapid bioassessment protocol for assessing the health of the aquatic environment: a case study of the Crocodile River, Eastern Transvaal*. Report No. 000/00/REQ/2293, Department of Water Affairs & Forestry, Pretoria. 26pp. (Roux et al. 1999).
- ROUX D. J., P. L. KEMPSTER, C. J. KLEYNHANS, H. R. VAN VLIET & H. H. DU PREEZ (1999). Integrating stressor and response monitoring into a resource-based water-quality assessment framework *Environmental Management* **23** (1): 15-30.
- ROWNTREE K. M. & M. DU PLESSIS (1998). *River zonation for biomonitoring*. Report to the River Health Programme. National Biomonitoring Programme for Riverine Ecosystems: Report Series No 8. Institute for Water Quality Studies, Department of Water Affairs and Forestry, Pretoria, South Africa.
- ROWNTREE K. M. & R. A. WADESON (1999). *A hierarchical framework for categorising the geomorphology of selected South African rivers*, Final Report to the Water Research Commission.
- SIMPSON J. C. & R. H. NORRIS (2000). Biological assessment of river quality: developments of AUSRIVAS models and outputs. In *Assessing the biological quality of fresh waters: RIVPACS and other techniques* (Eds. Wright J. F., Sutcliffe D. W. & Furse M. T.), Freshwater Biological Association, United Kingdom.
- SMITH M. J., W.R. KAY, D. H. D. EDWARD, P. J. PAPAS, K. J. RICHARDSON, J. C. SIMPSON, A. M. PINDER, D. J. CALE, P. H. J. HOWITZ, J. A. DAVIS, F. H. YUNG, R. H. NORRIS & S. A. HALSE (1999). AusRiVAS: using macroinvertebrates to assess ecological condition of rivers in Western Australia. *Freshwater Biology* **41** (2): 269-282.
- STARK J. D. (1998). SQMCI: a biotic index for freshwater macroinvertebrate coded-abundance data. *New Zealand Journal of Marine and Freshwater Research* **32** (1): 55-66.
- THIRION C., A. MOCKE & R. WOEST (1995). *Biological monitoring of streams and rivers using SASS4: A user manual*. Institute for Water Quality Studies, Department of Water Affairs and Forestry, Pretoria, South Africa. Report No. N 000/00/REQ/1195. 46pp
- VEGTER J. R. (1995). *Geology map of South Africa with simplified lithostratigraphy for geohydrological use*. (Simplified lithostratigraphy digitised by A Havenga, Council for Geosciences, 1994). Water Research Commission TT 74/95 .
- WADESON R.A. (1999). Resource Directed Measures for Protection of Water Resources: River Ecosystems. Draft Document.
- WRIGHT J. F. (1995). Development and use of a system for predicting the macroinvertebrate fauna in flowing waters. *Australian Journal of Ecology* **20**: 181-197.
- WRIGHT J. F. (2000). An introduction to RIVPACS. In *Assessing the biological quality of fresh waters: RIVPACS and other techniques* (Eds. Wright J. F., Sutcliffe D. W. & Furse M. T.), Freshwater Biological Association, United Kingdom.
- WRIGHT J.F., M. T. FURSE, P. D. ARMITAGE. (1993). RIVPACS- A technique for evaluating the Biological quality of rivers in the U.K. *Freshwater biology* **3** (4): 15-25.
- WRIGHT, J. F., M. T. FURSE & P. D. ARMITAGE. 1993. RIVPACS: A technique for evaluating the biological quality of rivers in the UK. *European Water Pollution Control* **3** (4):15-25.