

P.O. BOX 1673 SUNNINGHILL 2157 147 Bram Fischer Drive Ferndale

Phone: Fax:

(011) 781 1730 (011) 781 1731

Email: donavanh@nemai.co.za

PROPOSED DEVELOPMENT OF FOXWOOD DAM

2194

REPLY FORM

- · · · ·	Date received	Our reference	Status
Official use			

Note: The purpose of the Reply Form includes the following:

- 1. Registration of Interested and Affected Parties;
- 2. Obtain contact details to include in the project database; and
- 3. Allow for comments and concerns to be raised regarding the proposed project.

1) **GENERAL INFORMATION**

Name of organisation (if applicable)	Amatola Water				
Name & Surname	Siegfried Rousseau				
Postal Address	Private Bag X3				
	Vincent, 5217				
	East London				
Physical Address (please provide full farm description, if applicable)	6 Lancaster Place				
	Vincent				
	East London				
Telephone No.	043 707 3700				
Fax No.	043 707 3701				
Email Address	srousseau@amatolawater.co.za				
Registration as an	l Party:	YES X		NO	

2) **COMMENTS**

- 2.1) Potential issues or concerns associated with the project?
 - 1. What is the real need for the dam?
 - 2. Does Adelaide / Nxuba LM / ADM have a Water Conservation and Water Demand Management plan that is actively implemented and rigorously pursued?
 - 3. The BID talks to the need for the dam for irrigation development, but then goes on to state that the EIA for the irrigation is a completely separate process that has not even commenced. Is it possible or likely that the desirability or need for the irrigation water could fall away, thus negating the need to construct a dam? What happens if the potential impact of the increased irrigation has such severe negative environmental consequences (particularly in-stream water quality consequences) that it is not given the go-ahead?
 - 4. Have the Ecological Water Requirements been taken into account? Both in the design of the dam as well as consequences of the dam as well as reduced water availability, or reduced water quality as a result of changes tot land-use catchment practices (i.e. irrigation).

2.2) Specific	c requirements in terms of the EIA process?
2.3) Key sta	keholders to be engaged with (provide contact details, if possible)?
2.4) Genera	al Comments
2.4) Genera	il Comments
	S Rousseau
Signature	o nousseau
orgridiaro	
	9 March 2015
Date	
	— Thank you for your participation —