

ESKOM 16-06-10

From: Salomon Pienaar
Sent: 16 June 2010 11:55
To: 'Deidre Herbst'
Subject: RE: Erratum: MCWAP Phase 1: Review of Draft EIR and Public Meetings

Hi Deidre

Thank you for the response. I will update your details as requested.

Kind Regards

Salomon Pienaar

Nemai Consulting

Tel : (011) 781 1730
Fax : (011) 781 1731
Mobile: 073 183 1722
Email : salomonp@nemai.co.za
Address: 147 Bram Fisher Drive Ferndale, 2194 Postal Address: PO Box 1673, Sunninghill, 2157

-----Original Message-----

From: Deidre Herbst [mailto:deidre.herbst@eskom.co.za]
Sent: 16 June 2010 08:01 AM
To: Salomon Pienaar
Subject: Re: Erratum: MCWAP Phase 1: Review of Draft EIR and Public Meetings

NB: This email and its contents are subject to the Eskom Holdings Limited
EMAIL LEGAL NOTICE

which can be viewed at http://www.eskom.co.za/email_legalnotice

Dear Salomon please could you add me as an I&AP (see my details in my signature below.

Just a heads up. You still refer to DWA as DWAF which is incorrect.

Kind regards

Deidre Herbst

Environmental Manager

Generation Division

Eskom Holdings Limited

Tel: + 27 011 8003501

Fax: +27866606092

Cellular Phone: 0836601147

ESKOM 16-06-10

The perusal, use, dissemination, copying or storing of this message or its attachments and the opening of attachments is subject to Eskom's standard email disclaimer available at internet address:

www.eskom.co.za/disclaimer.htm or on request from the sender

>>> "Salomon Pienaar" <SalomonP@nema.co.za> 2010/06/15 04:58 PM >>>

Attention: Interested & Affected Party

Re: Mokolo and Crocodile (West) Water Augmentation
Project (MCWAP): Notice of Review of Phase 1 Draft Environmental Impact
Report and Public Meetings

Dear Sir / Madam

The Department of Water Affairs (DWA) commissioned the Mokolo and Crocodile (West) Water Augmentation Project (MCWAP) Feasibility Study to establish how water demands can be met for planned and anticipated developments in the Lephalale area. The proposed components of MCWAP include the following:

- * Phase 1 - transfer scheme from the Mokolo Dam;
- * Phase 2 - transfer scheme from the Crocodile River (West) to Lephalale area; and
- * De-bottlenecking of an existing pipeline that stretches from

Mokolo Dam to Lephalale.

Nemai Consulting was appointed by DWAF as the independent Environmental Assessment Practitioner (EAP) to undertake the environmental assessments for MCWAP, in accordance with Government Notice No. R385, R386 and R387 promulgated in terms of the National Environmental Management Act (No. 107 of 1998).

In accordance with regulation 58 of Government Notice No. R385, this serves as notification of the review process for the MCWAP Phase 1 Draft Environmental Impact Report and of the public meetings that have been scheduled to present the findings contained in this document. Further information regarding the aforementioned is contained in the attached notice. Please note that the date indicated in the previous notice sent was incorrect and that the correct date for the proposed two meetings is 29 June 2010.

Kind Regards

Salomon Pienaar

Nemai Consulting

Tel :

(011) 781 1730

Fax :

(011) 781 1731

Mobile:

073 183 1722

Email :

salomonp@nemail.co.za

<blocked::BLOCKED::blocked::blocked::BLOCKED::blocked::blocked::blocked:
:BLOCKED::BLOCKED::BLOCKED::BLOCKED::mailto:salomonp@nemail.co.za>

Address:

147 Bram Fisher Drive Ferndale, 2194

Postal Address:

PO Box 1673, Sunninghill, 2157

NB: This email and its contents are subject to the Eskom Holdings Limited
EMAIL LEGAL NOTICE which can be viewed at
http://www.eskom.co.za/email_legalnotice