

From: Danie.Prinsloo@transnet.net
Sent: 23 June 2010 16:36
To: Salomon Pienaar
Cc: Brian.Monakali@transnet.net; Braam.vanMolendorff@transnet.net; Tshilidzi.Munyai@transnet.net
Subject: FW: MCWAP Phase 1: Review of Draft EIR and Public Meetings
Attachments: Notice_Phase 1_ - English.pdf; Phase 1 Comment Sheet June 2010.doc

Salomon,
 Please provide Transnet with detail of how and where your pipeline is going to cross our railway line running from TBZ to Lephalale. We are planning to double this line in future. All crossing of our lines should be done linings and through pipe jacking/drilling at least 1.5 meters below formation level. The line will be electrified in future and pipelines should be protected against stray currents. Special alterations should be given not to negatives affect our drainage and access to our rail reserves.

Regards,

Danie Prinsloo

DEPOT ENGINEER
 INFRASTRUCTURE
 Tel.: 012 842 5700
 Fax.: 012 842 5268
 Cell.: 083 284 0851

From: Salomon Pienaar [mailto:SalomonP@nemai.co.za]
Sent: 10 June 2010 07:45 AM
Subject: MCWAP Phase 1: Review of Draft EIR and Public Meetings

Attention: Interested & Affected Party

Re: Mokolo and Crocodile (West) Water Augmentation Project (MCWAP): Notice of Review of Phase 1 Draft Environmental Impact Report and Public Meetings

Dear Sir / Madam

The Department of Water Affairs (DWA) commissioned the Mokolo and Crocodile (West) Water Augmentation Project (MCWAP) Feasibility Study to establish how water demands can be met for planned and anticipated developments in the Lephalale area. The proposed components of MCWAP include the following:

- Phase 1 - transfer scheme from the Mokolo Dam;
- Phase 2 - transfer scheme from the Crocodile River (West) to Lephalale area; and
- De-bottlenecking of an existing pipeline that stretches from Mokolo Dam to Lephalale.

Nemai Consulting was appointed by DWAF as the independent Environmental Assessment Practitioner (EAP) to undertake the environmental assessments for MCWAP, in accordance with Government Notice No. R385, R386 and R387 promulgated in terms of the National Environmental Management Act (No. 107 of 1998).

In accordance with regulation 58 of Government Notice No. R385, this serves as notification of the review process for the MCWAP Phase 1 Draft Environmental Impact Report and of the public meetings that have been scheduled to present the findings contained in this document. Further information regarding the aforementioned is contained in the attached notice.

Kind Regards
 Salomon Pienaar

Nemai Consulting

Tel : (011) 781 1730
 Fax : (011) 781 1731
 Mobile: 073 183 1722
 Email : salomonp@nemai.co.za

Address: 147 Bram Fisher Drive Ferndale, 2194
Postal Address: PO Box 1673, Sunninghill, 2157

DISCLAIMER: The information contained in this communication is subject to copyright and intended only for the use of salomonp@nemai.co.za. Unauthorised use, disclosure, or copying is strictly prohibited. Should a virus infection occur as a result of this communication the sender will not be liable. If you have received this communication in error, please notify danie.prinsloo@transnet.net.