

APPENDIX O

PROOF OF NOTIFICATION OF RESUBMISSION OF APPLICATION

PROOF OF NOTIFICATION VIA EMAILS



Donovan Henning

10580 - MCWAP-2A EIA - Resubmission of Application

To

Bcc: Donovan Henning; 'laba@spiderconnect.co.za'; 'jdb@dmv.co.za'; 'mokotsane@lantic.net'; 'mokotsane@lantic.net'; 'mmountany@gmail.com'; 'kobusmalan@lantic.net'; 'roland@aliedgroup.co.za'; 'doornkloof@mweb.co.za'; 'mariza@lantic.net'; 'Gerhard@oryxranh.co.za'; 'lstander@vodamail.co.za'; 'jdvanzyl@mweb.co.za'; 'jaco@krokodilkraal.co.za'; 'Sanet3@telkomsa.net'; 'beneline@lantic.net'; 'ems@wesenterprises.co.za'; 'maghriel@reineckeproperties.co.za'; 'wilhelm@ekowild.co.za'; 'gfritz@lantic.net'; 'pvr.hanover@gmail.com'; 'leon@thabanet.co.za'; 'dewaal@velavke.co.za'; 'driekat@ctec.co.za'; 'nick@hbpb.co.za'; 'marius@sanmargroup.co.za'; 'doeksr@absamail.co.za'; 'basiedebeer@gmail.com'; 'hoewalbdy@vodamail.co.za'; 'jcvijoen@worldonline.co.za'; 'casper@krokodilkraal.co.za'; 'wessels@mgk.co.za'; 'oukraal@yahoo.com'; 'zcor@lantic.net'; 'Gerhard@explpro.co.za'; 'lstander@vodamail.co.za'; 'stella@vodamail.co.za'; 'mbarnard75@gmail.com'; 'griffithsboerdery@gmail.com'; 'gruisbulboerdery@gmail.com'; 'steenkampbdy@obaroboer.co.za'; 'agrobler@fnb.co.za'; 'combretumlodge@gmail.com'; 'leon@thabanet.co.za'; 'olifantsdrift1@hotmail.com'; 'bauerg@africa.com'; 'botesboerdery@gmail.com'; 'lindreipenaar@live.co.za'; 'anlemtrust@hotmail.com'; 'bv628541@gmail.com'; 'Albertus_1@hotmail.com'

PROPOSED MOKOLO AND CROCODILE RIVER (WEST) WATER AUGMENTATION PROJECT PHASE 2A (MCWAP-2A): WATER TRANSFER INFRASTRUCTURE

The Final Scoping Report for the abovementioned project was accepted by the Department of Environmental Affairs (DEA) on 14 May 2018. This allowed for the commencement of the Environmental Impact Assessment (EIA) Phase.

An extension was subsequently requested from DEA for the submission of the Final EIA Report to this Department, due to the vast project footprint that needed to be assessed and the various specialist studies that needed to be completed (amongst others). Although DEA did not grant the extension, it was indicated that if the application lapses then a new application and a Draft EIA Report may be submitted to the Department in terms of Regulation 21(2) of the EIA Regulations of 2014 (as amended) and that the timeframes as prescribed in these regulations will still be applicable.

In accordance with Regulation 21(2)(b) of the EIA Regulations of 2014 (as amended), this serves to notify the Interested and Affected Parties of the following:

1. The application for the abovementioned project lapsed at the end of August 2018; and
2. It is the intention to resubmit the application for the abovementioned project and to proceed with the EIA in accordance with Regulation 21(2) of the EIA Regulations of 2014 (as amended).

Separate notification will be provided in due course of the public review period of the Draft EIA Report and the associated public meetings to be convened to present the findings of the EIA phase.

You are welcome to contact us if you have any queries.

VOORGESTELDE MOKOLO EN KROKODILRIVIER (WES) WATERAANVULLINGSPROJEK FASE 2A (MKWAP-2A): WATEROORDRAGSKEMA

Die Finale Omvangsbepalingsverslag vir die bogenoemde projek is aanvaar deur die Departement van Omgewingsake op 14 Mei 2018. Dit het toegelaat dat daar met die Omgewingsimpakbepaling(OIB)-fase voortgegaan kon word.

'n Verlenging van die tydperk vir die indiening van die Finale OIB-verslag is daarna vanaf die Departement van Omgewingsake versoek weens, onder andere, die algehele omvang van die projek wat ondersoek moes word sowel as die verskeie spesialis-studies wat uitgevoer moes word. Alhoewel die Departement van Omgewingsake nie die verlenging toegestaan het nie, is daar aangedui dat indien die aansoek sou verval daar 'n nuwe aansoek en die konsep OIB-verslag by die Departement ingedien kon word ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig). Die tydraam wat in dié regulasies voorgeskryf word sal steeds geldig wees.

Kragtens Regulasie 21(2)(b) van die OIB-Regulasies van 2014 (soos gewysig), word hiermee kennis gegee aan die Belanghebbende en Geaffekteerde Partye van die volgende:

1. Die aansoek vir die bogenoemde projek het verval aan die einde van Augustus 2018; en
2. Dit is die bedoeling om die aansoek vir die bogenoemde projek weer in te dien en om die OIB voort te sit ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig).

Aparte kennisgewing sal mettertyd gegee word van die openbare besigtigingsperiode van die Konsep OIB-verslag en die gepaardgaande openbare vergaderings om die bevindinge van die OIB-fase aan te bied.

Kontak ons gerus indien u enige navrae het.

Regards / Groete
Donovan Henning

Nemai Consulting
Tel : (011) 781 1730
Fax : (011) 781 1731
Mobile : 082 891 0604
Email : donavanh@nemai.co.za
Address : 147 Bram Fischer Drive Ferndale, 2194
Postal Address : PO Box 1673, Sunninghill, 2157





Tue 04/09/2018 03:05 PM

Donovan Henning

10580 - MCWAP-2A EIA - Resubmission of Application

To

Bcc Donovan Henning; 'lungiswaritshuri@gmail.com'; 'RitshuriLP@agric.limpopo.gov.za'; 'MakgopelaKJ@agric.limpopo.gov.za'; 'nicholas.chavalala@dmr.gov.za'; 'daisy.mudau@dmr.gov.za'; 'thalukanyo.mulauzi@dmr.gov.za'; 'toubatla@dws.gov.za'; 'ArumugamS@dws.gov.za'; 'NgoashengTR@ledet.gov.za'; 'RodgersMC@ledet.gov.za'; 'kelebone.mokwena@gmail.com'; 'alexserole1@gmail.com'; 'pienaar.nico@gmail.com'

PROPOSED MOKOLO AND CROCODILE RIVER (WEST) WATER AUGMENTATION PROJECT PHASE 2A (MCWAP-2A): WATER TRANSFER INFRASTRUCTURE

The Final Scoping Report for the abovementioned project was accepted by the Department of Environmental Affairs (DEA) on 14 May 2018. This allowed for the commencement of the Environmental Impact Assessment (EIA) Phase.

An extension was subsequently requested from DEA for the submission of the Final EIA Report to this Department, due to the vast project footprint that needed to be assessed and the various specialist studies that needed to be completed (amongst others). Although DEA did not grant the extension, it was indicated that if the application lapses then a new application and a Draft EIA Report may be submitted to the Department in terms of Regulation 21(2) of the EIA Regulations of 2014 (as amended) and that the timeframes as prescribed in these regulations will still be applicable.

In accordance with Regulation 21(2)(b) of the EIA Regulations of 2014 (as amended), this serves to notify the Interested and Affected Parties of the following:

1. The application for the abovementioned project lapsed at the end of August 2018; and
2. It is the intention to resubmit the application for the abovementioned project and to proceed with the EIA in accordance with Regulation 21(2) of the EIA Regulations of 2014 (as amended).

Separate notification will be provided in due course of the public review period of the Draft EIA Report and the associated public meetings to be convened to present the findings of the EIA phase.

You are welcome to contact us if you have any queries.

VOORGESTELDE MOKOLO EN KROKODILRIVIER (WES) WATERAANVULLINGSPROJEK FASE 2A (MKWAP-2A): WATEROORDRAGSKEMA

Die Finale Omvangsbepalingsverslag vir die bogenoemde projek is aanvaar deur die Departement van Omgewingsake op 14 Mei 2018. Dit het toegelaat dat daar met die Omgewingsimpakbepaling(OIB)-fase voortgegaan kon word.

'n Verlenging van die tydperk vir die indiening van die Finale OIB-verslag is daarna vanaf die Departement van Omgewingsake versoek weens, onder andere, die algehele omvang van die projek wat ondersoek moes word sowel as die verskeie spesialis-studies wat uitgevoer moes word. Alhoewel die Departement van Omgewingsake nie die verlenging toegestaan het nie, is daar aangedui dat indien die aansoek sou verval daar 'n nuwe aansoek en die konsep OIB-verslag by die Departement ingedien kon word ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig). Die tydraam wat in dié regulasies voorgeskryf word sal steeds geldig wees.

Kragtens Regulasie 21(2)(b) van die OIB-Regulasies van 2014 (soos gewysig), word hiermee kennis gegee aan die Belanghebbende en Geaffekteerde Partye van die volgende:

1. Die aansoek vir die bogenoemde projek het verval aan die einde van Augustus 2018; en
2. Dit is die bedoeling om die bogenoemde projek weer in te dien en om die OIB voort te sit ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig).

Aparte kennisgewing sal mettertyd gegee word van die openbare besigtigingsperiode van die Konsep OIB-verslag en die gepaardgaande openbare vergaderings om die bevindinge van die OIB-fase aan te bied.

Kontak ons gerus indien u enige navrae het.

Regards / Groete
Donovan Henning

Nemai Consulting
Tel : (011) 781 1730
Fax : (011) 781 1731



Tue 04/09/2018 03:04 PM

Donovan Henning

10580 - MCWAP-2A EIA - Resubmission of Application

To

Bcc Donavan Henr; mabitseiams@thabazimbi.; pietjvr@thabazimbi.; kgonotiks@thabazimbi.; stephenierumo@gmail; motihabanemp@thabazimbi.; mokotedim@thabazimbi.; gustavdevilliers@madibeng.; motialekgomomope@madibeng; madibengmayor@imighty.; mondejuta@madibeng.; johnbelgrove@madibeng.; leratosebidi@madibeng.; masindimapholi@madibeng.; sepanjahn@bojanala.; secretary@bojanala.; geeteshd@bojanala.; kgomotsos@bojanala.; Ashmak@bojanala.; OupaA@bojanala.; knkadimeng@rustenburg.; ntsokik@bojanala.; mrapoo@nwpg.go.; zmateta@rustenburg.; philipvdwa@tshwane.; victorc@tshwane.; lotteri@tshwane.; Fransm2@tshwane.; rethar@tshwane.; execmayor@kungwinimun.; samukelisiwe.mdalose@mogalecity.; mm@mogalecity.go.; elize.mare@mogalecity.; moselem@mogalecity.; stephan.dutoit@mogalecity.; Bogopal@dwa.go.; tpatane@wrdrd.go.; tmangqalaza@wrdrd.go.; hhamer@wrdrd.go.; asegoopolo@wrdrd.go.; dgovender@wrdrd.go.; zmpaphuli@wrdrd.go.; golfenicwater@yahoo.; ariel.mafejane@water.; senoel@ekurhuleni.; kennedy.chota@ekurhuleni.; NdibwaniT@dws.go.; JezewskiW@dws.go.; PhashaJ@dws.go.; KgoopongNS@ledet.go.; mkgokongRT@ledet.go.; MakanaTengNJ@ledet.go.; psiebe@waterberg.go.; llhra@antbc.; mthombenir@ledet.go.; LekothoaneNM@ledet.go.; MogashoalMS@ledet.go.; mahlaokanann@ledet.go.; Tshuketani@ledet.go.; nMolteno@waterberg.go.; makulutc@thabazimbi.; MphumaN@dws.go.; Hlekanel@dws.go.; NethengweM@dws.go.; RamatsulM@dws.go.; thindizad@dpw.limpopo.; mokoenaJ@dir.limpopo.; StanleyT@environment.go.; FoleTjm@daff.go.; ClementM@daff.go.; MabudaBP@agric.limpopo.;

PROPOSED MOKOLO AND CROCODILE RIVER (WEST) WATER AUGMENTATION PROJECT PHASE 2A (MCWAP-2A): WATER TRANSFER INFRASTRUCTURE

The Final Scoping Report for the abovementioned project was accepted by the Department of Environmental Affairs (DEA) on 14 May 2018. This allowed for the commencement of the Environmental Impact Assessment (EIA) Phase.

An extension was subsequently requested from DEA for the submission of the Final EIA Report to this Department, due to the vast project footprint that needed to be assessed and the various specialist studies that needed to be completed (amongst others). Although DEA did not grant the extension, it was indicated that if the application lapses then a new application and a Draft EIA Report may be submitted to the Department in terms of Regulation 21(2) of the EIA Regulations of 2014 (as amended) and that the timeframes as prescribed in these regulations will still be applicable.

In accordance with Regulation 21(2)(b) of the EIA Regulations of 2014 (as amended), this serves to notify the Interested and Affected Parties of the following:

1. The application for the abovementioned project lapsed at the end of August 2018; and
2. It is the intention to resubmit the application for the abovementioned project and to proceed with the EIA in accordance with Regulation 21(2) of the EIA Regulations of 2014 (as amended).

Separate notification will be provided in due course of the public review period of the Draft EIA Report and the associated public meetings to be convened to present the findings of the EIA phase.

You are welcome to contact us if you have any queries.

VOORGESTELDE MOKOLO EN KROKODILRIVIER (WES) WATERAANVULLINGSPROJEK FASE 2A (MKWAP-2A): WATEROORDRAGSKEMA

Die Finale Omvangsbepalingsverslag vir die bogenoemde projek is aanvaar deur die Departement van Omgewingsake op 14 Mei 2018. Dit het toegelaat dat daar met die Omgewingsimpakbepaling(OIB)-fase voortgegaan kon word.

'n Verlenging van die tydperk vir die indiening van die Finale OIB-verslag is daarna vanaf die Departement van Omgewingsake versoek weens, onder andere, die algehele omvang van die projek wat ondersoek moes word sowel as die verskeie spesialis-studies wat uitgevoer moes word. Alhoewel die Departement van Omgewingsake nie die verlenging toegestaan het nie, is daar aangedui dat indien die aansoek sou verval daar 'n nuwe aansoek en die konsep OIB-verslag by die Departement ingedien kon word ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig). Die tydraam wat in dié regulasies voorgeskryf word sal steeds geldig wees.

Kragtens Regulasie 21(2)(b) van die OIB-Regulasies van 2014 (soos gewysig), word hiermee kennis gegee aan die Belanghebbende en Geaffekteerde Partye van die volgende:

1. Die aansoek vir die bogenoemde projek het verval aan die einde van Augustus 2018; en
2. Dit is die bedoeling om die aansoek vir die bogenoemde projek weer in te dien en om die OIB voort te sit ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig).

Aparte kennisgewing sal mettertyd gegee word van die openbare besigtigingsperiode van die Konsep OIB-verslag en die gepaardgaande openbare vergaderings om die bevinding van die OIB-fase aan te bied.

Kontak ons gerus indien u enige navrae het.

Regards / Groete
Donovan Henning

Nemai Consulting
Tel : (011) 781 1730
Fax : (011) 781 1731
Mobile : 082 891 0604
Email : donavanh@nemai.co.za
Address : 147 Bram Fischer Drive Ferndale, 2194
Postal Address : PO Box 1673, Sunninghill, 2157





Tue 04/09/2018 03:04 PM

Donovan Henning

10580 - MCWAP-2A EIA - Resubmission of Application

To

Bcc: Donovan Henning; 'loubatal@dwa.gov.za'; 'khevas@dwa.gov.za'; 'thulon@dwa.gov.za'; 'dubuis@nwpg.gov.za'; 'avanstraaten@nwpg.gov.za'; 'btetu@lp.sahra.or'; 'nkoanad@premier.limpopo.gov.za'; 'kgope@premier.gov.za'; 'gabriels@celemeia.c'; 'sandy.thomas@gauteng.gov.za'; 'Premnw@nwpg.gov.za'; 'duplessish@premier.limpopo.gov.za'; 'Schwaro@nwpg.gov.za'; 'mabitselati@premier.limpopo.gov.za'; 'madibams@dnw.norprov.gov.za'; 'rampedis@limdigh.gov.za'; 'thobakalem@safptb.norprov.gov.za'; 'rantetj@dpw.limpopo.gov.za'; 'makibelow@transport.norprov.gov.za'; 'thindisam@drt.limpopo.gov.za'; 'tooley@limtreasury.gov.za'; 'mathibengc@limdev.c'; 'lonim@idc.co.za'; 'RDuPlessis@nwpg.gov.za'; 'smabotja@waterberg.gov.za'; 'ekely@waterberg.gov.za'; 'smashao@waterberg.gov.za'; 'plekalakala@waterberg.gov.za'; 'madelah@webmail.c'; 'bnaidoo@waterberg.gov.za'; 'smolekwa@waterberg.gov.za'; 'dmata@waterberg.gov.za'; 'bmnsi@waterberg.gov.za'; 'maphuti.ramalla@drdir.gov.za'; 'ktcwhite@yahoo.com'; 'waterberg@golimpopo.gov.za'; 'trntshangase@waterberg.gov.za'; 'moloko.maeko@lephalale.gov.za'; 'George.rametse@lephalale.gov.za'; 'George.rametse@lephalale.gov.za'; 'Edith.tukakomo@lephalale.gov.za'; 'Riekie.coetzee@lephalale.gov.za'; 'Madumetja.kgatela@lephalale.gov.za'; 'kgabo.thako@lephalale.gov.za'; 'april.shiko@lephalale.gov.za'; 'Rudzani.Ngobeli@lephalale.gov.za'; 'charles.lekaka@lephalale.gov.za'; 'Joseph.Moaloshi@lephalale.gov.za'; 'Gerben.makgamatha@lephalale.gov.za'; 'lesibana.thobane@lephalale.gov.za'; 'Bonolo.Nkoe@lephalale.gov.za'; 'Charity.Radipabe@lephalale.gov.za'; 'Catchlife.Mutshavi@lephalale.gov.za'; 'irene.ngoepe@lephalale.gov.za'; 'siwaneak@thabazimbi.gov.za'; 'mositopa@thabazimbi.gov.za'; 'sikwanek@thabazimbi.gov.za'; 'ntswetswel@thabazimbi.gov.za'; 'joubertm@thabazimbi.gov.za'; 'mositopa@thabazimbi.gov.za'; 'VenterJ@thabazimbi.gov.za'; 'Booyenseng@thabazimbi.gov.za'

PROPOSED MOKOLO AND CROCODILE RIVER (WEST) WATER AUGMENTATION PROJECT PHASE 2A (MCWAP-2A): WATER TRANSFER INFRASTRUCTURE

The Final Scoping Report for the abovementioned project was accepted by the Department of Environmental Affairs (DEA) on 14 May 2018. This allowed for the commencement of the Environmental Impact Assessment (EIA) Phase.

An extension was subsequently requested from DEA for the submission of the Final EIA Report to this Department, due to the vast project footprint that needed to be assessed and the various specialist studies that needed to be completed (amongst others). Although DEA did not grant the extension, it was indicated that if the application lapses then a new application and a Draft EIA Report may be submitted to the Department in terms of Regulation 21(2) of the EIA Regulations of 2014 (as amended) and that the timeframes as prescribed in these regulations will still be applicable.

In accordance with Regulation 21(2)(b) of the EIA Regulations of 2014 (as amended), this serves to notify the Interested and Affected Parties of the following:

1. The application for the abovementioned project lapsed at the end of August 2018; and
2. It is the intention to resubmit the application for the abovementioned project and to proceed with the EIA in accordance with Regulation 21(2) of the EIA Regulations of 2014 (as amended).

Separate notification will be provided in due course of the public review period of the Draft EIA Report and the associated public meetings to be convened to present the findings of the EIA phase.

You are welcome to contact us if you have any queries.

VOORGESTELDE MOKOLO EN KROKODILRIVIER (WES) WATERAANVULLINGSPROJEK FASE 2A (MKWAP-2A): WATEROORDRAGSKEMA

Die Finale Omvangsbepalingsverslag vir die bogenoemde projek is aanvaar deur die Departement van Omgewingsake op 14 Mei 2018. Dit het toegelaat dat daar met die Omgewingsimpakbepaling(OIB)-fase voortgegaan kon word.

'n Verlenging van die tydperk vir die indiening van die Finale OIB-verslag is daarna vanaf die Departement van Omgewingsake versoek weens, onder andere, die algehele omvang van die projek wat ondersoek moes word sowel as die verskeie spesialis-studies wat uitgevoer moes word. Alhoewel die Departement van Omgewingsake nie die verlenging toegestaan het nie, is daar aangedui dat indien die aansoek sou verval daar 'n nuwe aansoek en die konsep OIB-verslag by die Departement ingedien kon word ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig). Die tydraam wat in dié regulasies voorgeskryf word sal steeds geldig wees.

Kragtens Regulasie 21(2)(b) van die OIB-Regulasies van 2014 (soos gewysig), word hiermee kennis gegee aan die Belanghebbende en Geaffekteerde Partye van die volgende:

1. Die aansoek vir die bogenoemde projek het verval aan die einde van Augustus 2018; en
2. Dit is die bedoeling om die aansoek vir die bogenoemde projek weer in te dien en om die OIB voort te sit ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig).

Aparte kennisgewing sal mettertyd gegee word van die openbare besigtigingsperiode van die Konsep OIB-verslag en die gepaardgaande openbare vergaderings om die bevindinge van die OIB-fase aan te bied.

Kontak ons gerus indien u enige navrae het.

Regards / Groete
Donovan Henning

Nemai Consulting

Tel : (011) 781 1730

Fax : (011) 781 1731

Mobile : 082 891 0604

Email : donovanh@nemai.co.za

Address : 147 Bram Fischer Drive Ferndale, 2194

Postal Address : PO Box 1673, Sunninghill, 2157





Tue 04/09/2018 03:03 PM

Donovan Henning

10580 - MCWAP-2A EIA - Resubmission of Application

To

Bcc: Donovan Henr; MMogorosi@environment.g; john.nesidoni@gauteng.g; Benedict.Itholeng@gauteng.; shibambuj@ledet.go; MajaML@ledet.go; nyathj@ledet.go; KnillG@ledet.go; Brodericks@ledet.go; mdin@ledet.go; mongwev@ledet.go; hroux@nwpg.gov; baloyifk@ledet.go; legav@ledet.go; senganib@dwa.go; DeWittP@agric.limpopo.g; venterj@dwaf.go; venterj@dwa.go; MabadaH@dwaf.go; MabadaH@dwa.go; matheber@dwaf.go; matheber@dwa.go; kobel@dwaf.go; kobel@dwa.go; shakerm@dwaf.go; shakerm@dwa.go; mathysa@dwaf.go; mathysa@dwa.go; matukanea@dwaf.go; matukanea@dwa.go; komapem@dwa.go; raphalalani@dwaf.go; raphalalani@dwa.go; BadenhorstB@dwa.g; MbleniR@dwa.go; ShibamS@dwaf.go; kganyagor@dwa.go; allison.hm16032010@gmail; DutoitW@dwa.go; SalagaeA@dwa.go; chavalalaw@dwa.g; lekganyanem@dwa.g; motaus@dwa.g; maumelad@dwa.g; PretoriH@dws.g; terblanche@dwa.g; venterp@dwa.g; molokommel@dws.g; isaacs@dws.g; kgabileng@dws.g; masindig@dws.g; makahaner@dws.g; kgauleng@dws.g; blouww@dws.g; tilitants@dws.g; khozaI@dws.g; mokotesib@dwa.g; peensh@dwa.g; bothar@dwa.g; chizemat@dwa.g; evansj@dwa.g; williamsm@dwa.g; mper@dwa.g; Sebtsa.kakana@dme.g; Azwihangwisi.mulaudzi@dmr.; mapula.mashile@dmr.g; Pulengm@daff.g; Rudzanik@daff.g; dwuid@daff.g; PaloD@daff.g; Janpo@daff.g; RamabulanaN@daff.g; Ernstmal@daff.g; VolschenKE@dwa.g; solomonn@daff.g; NthabisenR@daff.g; LehlosonoloM@daff.g; dhumudzo.nethwadi@dme.; Aaron.kharivhe@dme.g; thra@lanic.n; maloambi@dwa.g; Wamero@agric.limpopo.g; dewitt@agric.limpopo.g; monwev@ledet.go; dmabuda@deat.go; lobakenoc@dwaf.go; lobakenoc@dwa.go; BrislevM@dwa.g; RaikoaW@dwa.g

PROPOSED MOKOLO AND CROCODILE RIVER (WEST) WATER AUGMENTATION PROJECT PHASE 2A (MCWAP-2A): WATER TRANSFER INFRASTRUCTURE

The Final Scoping Report for the abovementioned project was accepted by the Department of Environmental Affairs (DEA) on 14 May 2018. This allowed for the commencement of the Environmental Impact Assessment (EIA) Phase.

An extension was subsequently requested from DEA for the submission of the Final EIA Report to this Department, due to the vast project footprint that needed to be assessed and the various specialist studies that needed to be completed (amongst others). Although DEA did not grant the extension, it was indicated that if the application lapses then a new application and a Draft EIA Report may be submitted to the Department in terms of Regulation 21(2) of the EIA Regulations of 2014 (as amended) and that the timeframes as prescribed in these regulations will still be applicable.

In accordance with Regulation 21(2)(b) of the EIA Regulations of 2014 (as amended), this serves to notify the Interested and Affected Parties of the following:

1. The application for the abovementioned project lapsed at the end of August 2018; and
2. It is the intention to resubmit the application for the abovementioned project and to proceed with the EIA in accordance with Regulation 21(2) of the EIA Regulations of 2014 (as amended).

Separate notification will be provided in due course of the public review period of the Draft EIA Report and the associated public meetings to be convened to present the findings of the EIA phase.

You are welcome to contact us if you have any queries.

VOORGESTELDE MOKOLO EN KROKODILRIVIER (WES) WATERAANVULLINGSPROJEK FASE 2A (MKWAP-2A): WATEROORDRAGSKEMA

Die Finale Omvangsbepalingsverslag vir die bogenoemde projek is aanvaar deur die Departement van Omgewingsake op 14 Mei 2018. Dit het toegelaat dat daar met die Omgewingsimpakbepaling(OIB)-fase voortgegaan kon word.

'n Verlenging van die tydperk vir die indiening van die Finale OIB-verslag is daarna vanaf die Departement van Omgewingsake versoek weens, onder andere, die algehele omvang van die projek wat ondersoek moes word sowel as die verskeie spesialis-studies wat uitgevoer moes word. Alhoewel die Departement van Omgewingsake nie die verlenging toegestaan het nie, is daar aangedui dat indien die aansoek sou verval daar 'n nuwe aansoek en die konsep OIB-verslag by die Departement ingedien kon word ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig). Die tydram wat in dié regulasies voorgeskryf word sal steeds geldig wees.

Kragtens Regulasie 21(2)(b) van die OIB-Regulasies van 2014 (soos gewysig), word hiermee kennis gegee aan die Belanghebbende en Geaffekteerde Partye van die volgende:

1. Die aansoek vir die bogenoemde projek het verval aan die einde van Augustus 2018; en
2. Dit is die bedoeling om die aansoek vir die bogenoemde projek weer in te dien en om die OIB voort te sit ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig).

Aparte kennisgewing sal mettertyd gegee word van die openbare besigtigingsperiode van die Konsep OIB-verslag en die gepaardgaande openbare vergaderings om die bevindinge van die OIB-fase aan te bied.

Kontak ons gerus indien u enige navrae het.

Regards / Groete
Donovan Henning

Nemai Consulting

Tel : (011) 781 1730

Fax : (011) 781 1731

Mobile : 082 891 0604

Email : donovanh@nemai.co.za

Address : 147 Bram Fischer Drive Ferndale, 12194

Postal Address : PO Box 1673, Sunninghill, 2157



Tue 04/09/2018 03:02 PM

Donavan Henning

10580 - MCWAP-2A EIA - Resubmission of Application

To

Bcc Donavan Henning; 'SlabbertN@dwa.gov.za'; 'malelod@dwa.gov.za'; 'MahashaM@dwa.gov.za'; 'mbothot@dwa.gov.za'; 'naickers@dwa.gov.za'; 'Sejamoholo8@dwa.gov.za'; 'malulekem@dwa.gov.za'; 'jurgo@dwa.gov.za'; 'vijoenp@dwa.gov.za'; 'GovenderB@dws.gov.za'; 'shibambuv@dwa.gov.za'; 'KeetM@dwa.gov.za'; 'muthelov@dwa.gov.za'; 'MokgwaboneM@dwa.gov.za'; 'Selalal@dwa.gov.za'; 'siwelanel@dwa.gov.za'; 'machabamo@dwa.gov.za'; 'mndawenis@dwa.gov.za'; 'nyatloi@dwa.gov.za'; 'dineo.morale@energy.gov.za'; 'DAIS@nda.agric.za'; 'DDOBDM@nda.agric.za'; 'svandamme@sahra.org.za'; 'mleslie@sahra.org.za'; 'Aaron.Kharivhe@dmr.gov.za'; 'Thivhulawi.Kolani@dmr.gov.za'; 'Tebogo.Mangaba@dmr.gov.za'; 'ethel.sinthumule@dmr.gov.za'; 'mboneni.nkosi@dmr.gov.za'; 'shirley.mathe@dmr.gov.za'; 'yorkehm@nra.co.za'; 'monwabisi@housing.gov.za'; 'thabane.zulu@dhs.gov.za'; 'malcolm.pautz@treasury.gov.za'; 'pkadi@tourism.gov.za'; 'kmmakhubela@tourism.gov.za'; 'caroline.richardson@dpe.gov.za'; 'chambers@sacci.org.za'; 'motatso.kobe@dme.gov.za'; 'Mampuru.koma@dme.gov.za'; 'page.boikanyo@labour.gov.za'; 'gay.khaile@labour.gov.za'; 'wisa@wisa.org.za'; 'mmakgosik@cocta.gov.za'; 'ERMohobei@dla.gov.za'; 'elroy@cocta.gov.za'; 'SOGunronbi@ruraldevelopment.gov.za'; 'dini@sanbi.org'; 'U.Bahadur@sanbi.org.za'; 'paul@sanparks.org'; 'sebotsem@samef.org.za'; 'nlesufi@bullion.org.za'; 'wmoraka@salga.org.za'

PROPOSED MOKOLO AND CROCODILE RIVER (WEST) WATER AUGMENTATION PROJECT PHASE 2A (MCWAP-2A): WATER TRANSFER INFRASTRUCTURE

The Final Scoping Report for the abovementioned project was accepted by the Department of Environmental Affairs (DEA) on 14 May 2018. This allowed for the commencement of the Environmental Impact Assessment (EIA) Phase.

An extension was subsequently requested from DEA for the submission of the Final EIA Report to this Department, due to the vast project footprint that needed to be assessed and the various specialist studies that needed to be completed (amongst others). Although DEA did not grant the extension, it was indicated that if the application lapses then a new application and a Draft EIA Report may be submitted to the Department in terms of Regulation 21(2) of the EIA Regulations of 2014 (as amended) and that the timeframes as prescribed in these regulations will still be applicable.

In accordance with Regulation 21(2)(b) of the EIA Regulations of 2014 (as amended), this serves to notify the Interested and Affected Parties of the following:

1. The application for the abovementioned project lapsed at the end of August 2018; and
2. It is the intention to resubmit the application for the abovementioned project and to proceed with the EIA in accordance with Regulation 21(2) of the EIA Regulations of 2014 (as amended).

Separate notification will be provided in due course of the public review period of the Draft EIA Report and the associated public meetings to be convened to present the findings of the EIA phase.

You are welcome to contact us if you have any queries.

VOORGESTELDE MOKOLO EN KROKODILRIVIER (WES) WATERAANVULLINGSPROJEK FASE 2A (MKWAP-2A): WATEROORDRAGSKEMA

Die Finale Omvangsbepalingsverslag vir die bogenoemde projek is aanvaar deur die Departement van Omgewingsake op 14 Mei 2018. Dit het toegelaat dat daar met die Omgewingsimpakbepaling(OIB)-fase voortgegaan kon word.

’n Verlenging van die tydperk vir die indiening van die Finale OIB-verslag is daarna vanaf die Departement van Omgewingsake versoek weens, onder andere, die algehele omvang van die projek wat ondersoek moes word sowel as die verskeie spesialis-studies wat uitgevoer moes word. Alhoewel die Departement van Omgewingsake nie die verlenging toegestaan het nie, is daar aangedui dat indien die aansoek sou verval daar ’n nuwe aansoek en die konsep OIB-verslag by die Departement ingedien kon word ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig). Die tydraam wat in dié regulasies voorgeskryf word sal steeds geldig wees.

Kragtens Regulasie 21(2)(b) van die OIB-Regulasies van 2014 (soos gewysig), word hiermee kennis gegee aan die Belanghebbende en Geaffekteerde Partye van die volgende:

1. Die aansoek vir die bogenoemde projek het verval aan die einde van Augustus 2018; en
2. Dit is die bedoeling om die aansoek vir die bogenoemde projek weer in te dien en om die OIB voort te sit ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig).

Aparte kennisgewing sal mettertyd gegee word van die openbare besigtigingsperiode van die Konsep OIB-verslag en die gepaardgaande openbare vergaderings om die bevindinge van die OIB-fase aan te bied.

Kontak ons gerus indien u enige navrae het.

Regards / Groete
Donavan Henning

Nemai Consulting
Tel : (011) 781 1730
Fax : (011) 781 1731
Mobile : 082 891 0604
Email : donavanh@nemai.co.za
Address : 147 Bram Fischer Drive Ferndale, 2194
Postal Address : PO Box 1673, Sunninghill, 2157





Tue 04/09/2018 03:01 PM

Donovan Henning

10580 - MCWAP-2A EIA - Resubmission of Application

To

Bcc: Donavan Henr; msolomons@environment.gov; sdiomo@environment.gov; tgrimmet@environment.gov; nnkosi@environment.gov; sLekota@environment.gov; ULetlalo@environment.gov; LVeto@environment.gov; zpholio@environment.gov; bncube@environment.gov; sdiamini@environment.gov; MMundalamo@environment.gov; baloitg@dws.gov; nkokwoa@dws.gov; mboweniz@dws.gov; mura@dwa.gov; AckermanP@dwa.gov; ha@dwa.gov; BothaR@dwa.gov; xca@dwa.gov; xca@dwa.gov; Fourief@dwa.gov; beyersh@dwa.gov; beyersh@dwa.gov; mabudas@dwa.gov; mabudas@dwa.gov; igh@dwa.gov; igh@dwa.gov; igr@dwa.gov; ica@dwa.gov; ica@dwa.gov; tcd@dwa.gov; tcd@dwa.gov; KroonJ@dwa.gov; niekerk@dwa.gov; niekerk@dwa.gov; RademeyerS@dwa.gov; vanrooyenJ@dwa.gov; vanrooyenJ@dwa.gov; thebea@dwa.gov; thebea@dwa.gov; ntshangases@dwa.gov; ntshangases@dwa.gov; radzumapd@dwa.gov; radzumapd@dwa.gov; tshilatel@dwa.gov; tshilatel@dwa.gov; Mabudal@dwa.gov; mokgwabaneM@dwa.gov; moabelok@dwa.gov; Francois@dwa.gov; machabjm@dwa.gov; Heselmarj@dwa.gov; mosoal@dwa.gov; Smith@dwa.gov; PykeP@dwa.gov; Mwakab@dwa.gov; wensleya@dwa.gov; nstcd@dwa.gov; JezewskiW@dwa.gov; WestonB@dwa.gov; VenterP@dws.gov; mgqubas@dwa.gov; NaidooShane@dwa.gov; Vanzyf@dwa.gov; herbstp@dwa.gov; viljoenp2@dwa.gov; ntulic@dwa.gov; SekooleM@dwa.gov; mandazak@dwa.gov; vanjaarsvelds@dwa.gov; NyamandE@dwa.gov; Ntulit@dwa.gov; ad@dwa.gov; MohapiN@dwa.gov; atwaruy@dwa.gov

PROPOSED MOKOLO AND CROCODILE RIVER (WEST) WATER AUGMENTATION PROJECT PHASE 2A (MCWAP-2A): WATER TRANSFER INFRASTRUCTURE

The Final Scoping Report for the abovementioned project was accepted by the Department of Environmental Affairs (DEA) on 14 May 2018. This allowed for the commencement of the Environmental Impact Assessment (EIA) Phase.

An extension was subsequently requested from DEA for the submission of the Final EIA Report to this Department, due to the vast project footprint that needed to be assessed and the various specialist studies that needed to be completed (amongst others). Although DEA did not grant the extension, it was indicated that if the application lapses then a new application and a Draft EIA Report may be submitted to the Department in terms of Regulation 21(2) of the EIA Regulations of 2014 (as amended) and that the timeframes as prescribed in these regulations will still be applicable.

In accordance with Regulation 21(2)(b) of the EIA Regulations of 2014 (as amended), this serves to notify the Interested and Affected Parties of the following:

1. The application for the abovementioned project lapsed at the end of August 2018; and
2. It is the intention to resubmit the application for the abovementioned project and to proceed with the EIA in accordance with Regulation 21(2) of the EIA Regulations of 2014 (as amended).

Separate notification will be provided in due course of the public review period of the Draft EIA Report and the associated public meetings to be convened to present the findings of the EIA phase.

You are welcome to contact us if you have any queries.

VOORGESTELDE MOKOLO EN KROKODILRIVIER (WES) WATERAANVULLINGSPROJEK FASE 2A (MKWAP-2A): WATEROORDRAGSKEMA

Die Finale Omvangsbepalingsverslag vir die bogenoemde projek is aanvaar deur die Departement van Omgewingsake op 14 Mei 2018. Dit het toegelaat dat daar met die Omgewingsimpakbepaling(OIB)-fase voortgegaan kon word.

'n Verlenging van die tydperk vir die indiening van die Finale OIB-verslag is daarna vanaf die Departement van Omgewingsake versoek weens, onder andere, die algehele omvang van die projek wat ondersoek moes word sowel as die verskeie spesialis-studies wat uitgevoer moes word. Alhoewel die Departement van Omgewingsake nie die verlenging toegestaan het nie, is daar aangedui dat indien die aansoek sou verval daar 'n nuwe aansoek en die konsep OIB-verslag by die Departement ingedien kon word ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig). Die tydraam wat in dié regulasies voorgeskryf word sal steeds geldig wees.

Kragtens Regulasie 21(2)(b) van die OIB-Regulasies van 2014 (soos gewysig), word hiermee kennis gegee aan die Belanghebbende en Geaffekteerde Partye van die volgende:

1. Die aansoek vir die bogenoemde projek het verval aan die einde van Augustus 2018; en
2. Dit is die bedoeling om die aansoek vir die bogenoemde projek weer in te dien en om die OIB voort te sit ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig).

Aparte kennisgewing sal mettertyd gegee word van die openbare besigtigingsperiode van die Konsep OIB-verslag en die gepaardgaande openbare vergaderings om die bevindinge van die OIB-fase aan te bied.

Kontak ons gerus indien u enige navrae het.

Regards / Groete
Donavan Henning

Nemai Consulting

Tel : (011) 781 1730

Fax : (011) 781 1731

Mobile : 082 891 0604

Email : donavanh@nemai.co.za

Address : 147 Bram Fischer Drive Ferndale, 2194

Postal Address : PO Box 1673, Sunninghill, 2157





Tue 04/09/2018 03:01 PM

Donovan Henning

10580 - MCWAP-2A EIA - Resubmission of Application

To

Bcc Donovan Henning; 'GillmerR@dws.gov.za'; 'VanDenBergO@dws.gov.za'; 'VanJaarsveldS@dws.gov.za'; 'maswumaz@dws.gov.za'; 'ANelwamondo@tcta.co.za'; 'dkeyser@tcta.co.za'; 'skelefetswe@tcta.co.za'; 'GHannay@tcta.co.za'; 'tmathebula@tcta.co.za'; 'tmashiane@tcta.co.za'; 'kmabitsela@tcta.co.za'; 'barend.smit@arecongroup.com'; 'pauill@mcwap.co.za'; 'lsea@lantic.net'; 'PretoriH@dws.gov.za'; 'terblanche@dwa.gov.za'; 'senganib@dwa.gov.za'; 'humanc@vodamail.co.za'; 'davidvc@mcwap.co.za'; 'Nicky Naidoo; Salomon Pienaar; 'MabenaT@dws.gov.za'; 'KoenaiteK@dws.gov.za'; 'BothaR@dws.gov.za'; 'MabudaS@dwa.gov.za'; 'athebe@tcta.co.za'; 'jaap@kroon.co.za'; 'Johan.Pienaar@arecongroup.com'; 'PieterV@wrp.co.za'; 'MugumoM@dws.gov.za'; 'ggosney@tcta.co.za'; 'tshale@tcta.co.za'; Christian Van Der Hoven; Nicky Naidoo

PROPOSED MOKOLO AND CROCODILE RIVER (WEST) WATER AUGMENTATION PROJECT PHASE 2A (MCWAP-2A): WATER TRANSFER INFRASTRUCTURE

The Final Scoping Report for the abovementioned project was accepted by the Department of Environmental Affairs (DEA) on 14 May 2018. This allowed for the commencement of the Environmental Impact Assessment (EIA) Phase.

An extension was subsequently requested from DEA for the submission of the Final EIA Report to this Department, due to the vast project footprint that needed to be assessed and the various specialist studies that needed to be completed (amongst others). Although DEA did not grant the extension, it was indicated that if the application lapses then a new application and a Draft EIA Report may be submitted to the Department in terms of Regulation 21(2) of the EIA Regulations of 2014 (as amended) and that the timeframes as prescribed in these regulations will still be applicable.

In accordance with Regulation 21(2)(b) of the EIA Regulations of 2014 (as amended), this serves to notify the Interested and Affected Parties of the following:

1. The application for the abovementioned project lapsed at the end of August 2018; and
2. It is the intention to resubmit the application for the abovementioned project and to proceed with the EIA in accordance with Regulation 21(2) of the EIA Regulations of 2014 (as amended).

Separate notification will be provided in due course of the public review period of the Draft EIA Report and the associated public meetings to be convened to present the findings of the EIA phase.

You are welcome to contact us if you have any queries.

VOORGESTELDE MOKOLO EN KROKODILRIVIER (WES) WATERAANVULLINGSPROJEK FASE 2A (MKWAP-2A): WATEROORDRAGSKEMA

Die Finale Omvangsbepalingsverslag vir die bogenoemde projek is aanvaar deur die Departement van Omgewingsake op 14 Mei 2018. Dit het toegelaat dat daar met die Omgewingsimpakbepaling(OIB)-fase voortgegaan kon word.

'n Verlenging van die tydperk vir die indiening van die Finale OIB-verslag is daarna vanaf die Departement van Omgewingsake versoek weens, onder andere, die algehele omvang van die projek wat ondersoek moes word sowel as die verskeie spesialis-studies wat uitgevoer moes word. Alhoewel die Departement van Omgewingsake nie die verlenging toegestaan het nie, is daar aangedui dat indien die aansoek sou verval daar 'n nuwe aansoek en die konsep OIB-verslag by die Departement ingedien kon word ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig). Die tydraam wat in dié regulasies voorgeskryf word sal steeds geldig wees.

Kragtens Regulasie 21(2)(b) van die OIB-Regulasies van 2014 (soos gewysig), word hiermee kennis gegee aan die Belanghebbende en Geaffekteerde Partye van die volgende:

1. Die aansoek vir die bogenoemde projek het verval aan die einde van Augustus 2018; en
2. Dit is die bedoeling om die aansoek vir die bogenoemde projek weer in te dien en om die OIB voort te sit ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig).

Aparte kennisgewing sal mettertyd gegee word van die openbare besigtigingsperiode van die Konsep OIB-verslag en die gepaardgaande openbare vergaderings om die bevindinge van die OIB-fase aan te bied.

Kontak ons gerus indien u enige navrae het.

Regards / Groete
Donovan Henning

Nemai Consulting
Tel : (011) 781 1730
Fax : (011) 781 1731
Mobile : 082 891 0604
Email : donavanh@nemai.co.za
Address : 147 Bram Fischer Drive Ferndale, 2194
Postal Address : PO Box 1673, Sunninghill, 2157





Tue 04/09/2018 03:01 PM

Donovan Henning

10580 - MCWAP-2A EIA - Resubmission of Application

To

Bcc: Donovan Henning; 'joshua.hlapa@lephalale.gov.za'; 'julian@thabazimbi.gov.za'; 'waterbergbiosphere@gmail.com'; 'chriswagner@lantic.net'; 'kenmaud@lantic.net'; 'tessa@waterberg.net'; 'Johan.Taljaard@sanparks.org'; 'k_abram@yahoo.co.uk'; 'landsberg@icon.co.za'; 'masibe88@gmail.com'; 'chokwemalesela@gmail.com'; 'chibmabuella@vodamail.co.za'; 'dcpotgieter@landbank.co.za'; 'brand@nkuzi.org.za'; 'mahlangus@agric.limpopo.gov.za'; 'petrus.peta@drdlr.gov.za'; 'lesetja.selepe@drdlr.gov.za'; 'michael.buys@drdlr.gov.za'; 'alidzulwi.naledzani@drdlr.gov.za'; 'lmbabuella@vodamail.co.za'; 'peatland@mweb.co.za'; 'CSilima@environment.gov.za'; 'PaulJo@eskom.co.za'; 'lazarus.mahangu@ipp-projects.co.za'; 'whitac@premier.limpopo.gov.za'; 'whitac@premier.limpopo.gov.za'; 'chaosccn@mweb.co.za'; 'kgast@gast.co.za'; 'Bronwyn.Egan@ul.ac.za'; 'chauke@salga.org.za'; 'liz.metcalfe@icel.org'; 'ryan.fisher@icel.org'; 'jonathan@ecofrica.co.za'; 'LRavhandalala@environment.gov.za'; 'NMunakisi@environment.gov.za'; 'moderator@sondelaacademy.net'; 'VSenene@environment.gov.za'; 'MakhukhoSS@ledet.gov.za'; 'MakhukhoSS@ledet.gov.za'; 'annies@macgroup.co.za'; 'mmampa@waterberg.gov.za'; 'mmampa@waterberg.gov.za'; 'keoma@waterberg.gov.za'; 'jessica@lapalala.com'; 'anton@lapalala.com'; 'chris@buildersdiscount.co.za'; 'debbiew@l2b.co.za'; 'japie@mitacopy.co.za'; 'cam@pecanwoodhoa.co.za'; 'camoffice@pecanwoodhoa.co.za';

PROPOSED MOKOLO AND CROCODILE RIVER (WEST) WATER AUGMENTATION PROJECT PHASE 2A (MCWAP-2A): WATER TRANSFER INFRASTRUCTURE

The Final Scoping Report for the abovementioned project was accepted by the Department of Environmental Affairs (DEA) on 14 May 2018. This allowed for the commencement of the Environmental Impact Assessment (EIA) Phase.

An extension was subsequently requested from DEA for the submission of the Final EIA Report to this Department, due to the vast project footprint that needed to be assessed and the various specialist studies that needed to be completed (amongst others). Although DEA did not grant the extension, it was indicated that if the application lapses then a new application and a Draft EIA Report may be submitted to the Department in terms of Regulation 21(2) of the EIA Regulations of 2014 (as amended) and that the timeframes as prescribed in these regulations will still be applicable.

In accordance with Regulation 21(2)(b) of the EIA Regulations of 2014 (as amended), this serves to notify the Interested and Affected Parties of the following:

1. The application for the abovementioned project lapsed at the end of August 2018; and
2. It is the intention to resubmit the application for the abovementioned project and to proceed with the EIA in accordance with Regulation 21(2) of the EIA Regulations of 2014 (as amended).

Separate notification will be provided in due course of the public review period of the Draft EIA Report and the associated public meetings to be convened to present the findings of the EIA phase.

You are welcome to contact us if you have any queries.

VOORGESTELDE MOKOLO EN KROKODILRIVIER (WES) WATERAANVULLINGSPROJEK FASE 2A (MKWAP-2A): WATEROORDRAGSKEMA

Die Finale Omvangsbepalingsverslag vir die bogenoemde projek is aanvaar deur die Departement van Omgewingsake op 14 Mei 2018. Dit het toegelaat dat daar met die Omgewingsimpakbepaling(OIB)-fase voortgegaan kon word.

'n Verlenging van die tydperk vir die indiening van die Finale OIB-verslag is daarna vanaf die Departement van Omgewingsake versoek weens, onder andere, die algehele omvang van die projek wat ondersoek moes word sowel as die verskeie spesialis-studies wat uitgevoer moes word. Alhoewel die Departement van Omgewingsake nie die verlenging toegestaan het nie, is daar aangedui dat indien die aansoek sou verval daar 'n nuwe aansoek en die konsep OIB-verslag by die Departement ingedien kon word ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig). Die tydraam wat in dié regulasies voorgeskryf word sal steeds geldig wees.

Kragtens Regulasie 21(2)(b) van die OIB-Regulasies van 2014 (soos gewysig), word hiermee kennis gegee aan die Belanghebbende en Geaffekteerde Partye van die volgende:

1. Die aansoek vir die bogenoemde projek het verval aan die einde van Augustus 2018; en
2. Dit is die bedoeling om die aansoek vir die bogenoemde projek weer in te dien en om die OIB voort te sit ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig).

Aparte kennisgewing sal mettertyd gegee word van die openbare besigtigingsperiode van die Konsep OIB-verslag en die gepaardgaande openbare vergaderings om die bevindinge van die OIB-fase aan te bied.

Kontak ons gerus indien u enige navrae het.

Regards / Groete
Donovan Henning

Nemai Consulting
Tel : (011) 781 1730
Fax : (011) 781 1731
Mobile : 082 891 0604
Email : donavanh@nemai.co.za
Address : 147 Bram Fischer Drive Ferndale, 2194
Postal Address : PO Box 1673, Sunninghill, 2157





Tue 04/09/2018 03:00 PM

Donovan Henning

10580 - MCWAP-2A EIA - Resubmission of Application

To

Bcc: Donovan Henning; 'marti@afrosearch.co.za'; 'russe1@kayamandi.com'; 'rvr@bymol.co.za'; 'dwijnbeek@mweb.co.za'; 'electrotemp@mweb.co.za'; 'environment@vodamail.co.za'; 'elsjevj@mgk.co.za'; 'euniceserfontein@gmail.com'; 'rethas@lantic.net'; 'servitudewatch@gmail.com'; 'andre@whmarataba.co.za'; 'ampie2@vodamail.co.za'; 'ampie@thabanet.co.za'; 'elbie.engelbrecht@angloamerican.com'; 'henniel@mogoldub.co.za'; 'omulusafaris@mweb.co.za'; 'bosveld-hand@mweb.co.za'; 'johnliechi@lantic.net'; 'servitudewatch@gmail.com'; 'hennie@dpdup.co.za'; 'james.coetzee@digbywells.com'; 'jchavenga@coastalhire.co.za'; 'bothadp@gmail.com'; 'bertiejoubert@telkomsa.net'; 'sonjajanse@gmail.com'; 'heinrich@ce-consultants.co.za'; 'selemo@nozukonxusaniinc.co.za'; 'makwavictor@yahoo.com'; 'victorhasha@mokopane.za.net'; 'wynand@ngboerdery.co.za'; 'selobap@eskom.co.za'; 'annalien@hpbib.co.za'; 'sysmanpak@yahoo.com'; 'hudson.carlasa@gmail.com'; 'MarellEm@eskom.co.za'; 'MaleboNP@eskom.co.za'; 'blomTF@eskom.co.za'; 'SonoF@eskom.co.za'; 'NawaH@eskom.co.za'; 'PolisIM@eskom.co.za'; 'Rammur@eskom.co.za'; 'LemboeEJ@eskom.co.za'; 'LucasDD@eskom.co.za'; 'maximus1@lantic.net'; 'lindie.pienaar@live.co.za'; 'david@steenbokpan.co.za'; 'sonjavrensburg@gmail.com'; 'Dirk.vandermerwe@deltabec.com'; 'Celeste@hpbib.co.za'

PROPOSED MOKOLO AND CROCODILE RIVER (WEST) WATER AUGMENTATION PROJECT PHASE 2A (MCWAP-2A): WATER TRANSFER INFRASTRUCTURE

The Final Scoping Report for the abovementioned project was accepted by the Department of Environmental Affairs (DEA) on 14 May 2018. This allowed for the commencement of the Environmental Impact Assessment (EIA) Phase.

An extension was subsequently requested from DEA for the submission of the Final EIA Report to this Department, due to the vast project footprint that needed to be assessed and the various specialist studies that needed to be completed (amongst others). Although DEA did not grant the extension, it was indicated that if the application lapses then a new application and a Draft EIA Report may be submitted to the Department in terms of Regulation 21(2) of the EIA Regulations of 2014 (as amended) and that the timeframes as prescribed in these regulations will still be applicable.

In accordance with Regulation 21(2)(b) of the EIA Regulations of 2014 (as amended), this serves to notify the Interested and Affected Parties of the following:

1. The application for the abovementioned project lapsed at the end of August 2018; and
2. It is the intention to resubmit the application for the abovementioned project and to proceed with the EIA in accordance with Regulation 21(2) of the EIA Regulations of 2014 (as amended).

Separate notification will be provided in due course of the public review period of the Draft EIA Report and the associated public meetings to be convened to present the findings of the EIA phase.

You are welcome to contact us if you have any queries.

VOORGESTELDE MOKOLO EN KROKODILRIVIER (WES) WATERAANVULLINGSPROJEK FASE 2A (MKWAP-2A): WATEROORDRAGSKEMA

Die Finale Omvangsbepalingsverslag vir die bogenoemde projek is aanvaar deur die Departement van Omgewingsake op 14 Mei 2018. Dit het toegelaat dat daar met die Omgewingsimpakbepaling(OIB)-fase voortgegaan kon word.

'n Verlenging van die tydperk vir die indiening van die Finale OIB-verslag is daarna vanaf die Departement van Omgewingsake versoek weens, onder andere, die algehele omvang van die projek wat ondersoek moes word sowel as die verskeie spesialis-studies wat uitgevoer moes word. Alhoewel die Departement van Omgewingsake nie die verlenging toegestaan het nie, is daar aangedui dat indien die aansoek sou verval daar 'n nuwe aansoek en die konsep OIB-verslag by die Departement ingedien kon word ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig). Die tydraam wat in dié regulasies voorgeskryf word sal steeds geldig wees.

Kragtens Regulasie 21(2)(b) van die OIB-Regulasies van 2014 (soos gewysig), word hiermee kennis gegee aan die Belanghebbende en Geaffekteerde Partye van die volgende:

1. Die aansoek vir die bogenoemde projek het verval aan die einde van Augustus 2018; en
2. Dit is die bedoeling om die aansoek vir die bogenoemde projek weer in te dien en om die OIB voort te sit ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig).

Aparte kennisgewing sal mettertyd gegee word van die openbare besigtigingsperiode van die Konsep OIB-verslag en die gepaardgaande openbare vergaderings om die bevindinge van die OIB-fase aan te bied.

Kontak ons gerus indien u enige navrae het.

Regards / Groete
Donovan Henning

Nemai Consulting

Tel : (011) 781 1730

Fax : (011) 781 1731

Mobile : 082 891 0604

Email : donavanh@nemai.co.za

Address : 147 Bram Fischer Drive Ferndale, 2194

Postal Address : PO Box 1673, Sunninghill, 2157





Tue 04/09/2018 02:55 PM

Donovan Henning

10580 - MCWAP-2A EIA - Resubmission of Application

To

Bcc: Donovan Henr; 'Wimao@weavind.c'; 'mclachlan@law.c'; 'zsmith@umbono.c'; 'gavin@mersich.c'; 'jacquess@macgroup.c'; 'corrie.marx@bigenafrica'; 'mias.vanderwalt@bigenafrica'; 'ronchantler@hotmail'; 'cselick@mweb.c'; 'cselick@hixnet.c'; 'willem@vanzyl'; 'jvdmescht@kv3.c'; 'DSmook@kv3.c'; 'FHumphries@kv3.c'; 'gbothma@kv3.c'; 'pipeline@insinyithi.c'; 'stuart@pbai.c'; 'tsepo@pbai.c'; 'ntsebo@pbai.c'; 'mcwebb@ssis.c'; 'pipeline@insinyithi.c'; '27824519560@vodamail.c'; 'g.stander@telkomsa'; 'swanevelder@telkomsa'; 'francois@landuse.c'; 'lofty@xperienceafrica.c'; 'sarel@sizatech.c'; 'pieterv@wrp.c'; 'hermiemp@bks.c'; 'philipjvdwalt@gmail'; 'twhite@thabang'; 'stephina@nkuzi.or'; 'johnkings@tsogang.c'; 'tsogang@pixie.c'; 'margiegeyser@hotmail'; 'daiet@ewt.org'; 'lukes@ewt.org'; 'greenco@gem.c'; 'admin@sahunt.c'; 'rauties@lantic.c'; 'casper@mweb.c'; 'rick@hwag.c'; 'wille@enhancegroup.c'; 'tbotha@con.c'; 'rauties@lantic.c'; 'rupebaber@ybo.c'; 'equus@equus.c'; 'heidi.bruce@absamail.c'; 'dlaufs@lantic.c'; 'bernadette@yehoo'; 'leaf.office@telkomsa'; 'cruisersafaris@telkomsa'; 'kaiser87@gmail.c'; 'samantha@environomics.c'; 'wilhelm@ekowild.c'; 'alendo@lantic.c'; 'henry@unicon.c'; 'chrismaritz@gmail'; 'marie.de.lange@tt'; 'tsewater@con.c'; 'daniel.boshoff@za.suninternatio'; 'sandra@ydn.org'; 'koki.maluleke@yahoo'; 'joseph.machaba@lephalelemunicipali'; 'dmogoaza@waterberg.g'; 'venterj@thabazimbi.o'; 'zbe@telkomsa.c'; 'wateren@hixnet.c'; 'tbz@tbz.c'; 'kuducanyon@lantic'; 'thatuwanim@sanpark'; 'parkmanager@marakelepark'; 'dien@350.c'

PROPOSED MOKOLO AND CROCODILE RIVER (WEST) WATER AUGMENTATION PROJECT PHASE 2A (MCWAP-2A): WATER TRANSFER INFRASTRUCTURE

The Final Scoping Report for the abovementioned project was accepted by the Department of Environmental Affairs (DEA) on 14 May 2018. This allowed for the commencement of the Environmental Impact Assessment (EIA) Phase.

An extension was subsequently requested from DEA for the submission of the Final EIA Report to this Department, due to the vast project footprint that needed to be assessed and the various specialist studies that needed to be completed (amongst others). Although DEA did not grant the extension, it was indicated that if the application lapses then a new application and a Draft EIA Report may be submitted to the Department in terms of Regulation 21(2) of the EIA Regulations of 2014 (as amended) and that the timeframes as prescribed in these regulations will still be applicable.

In accordance with Regulation 21(2)(b) of the EIA Regulations of 2014 (as amended), this serves to notify the Interested and Affected Parties of the following:

1. The application for the abovementioned project lapsed at the end of August 2018; and
2. It is the intention to resubmit the application for the abovementioned project and to proceed with the EIA in accordance with Regulation 21(2) of the EIA Regulations of 2014 (as amended).

Separate notification will be provided in due course of the public review period of the Draft EIA Report and the associated public meetings to be convened to present the findings of the EIA phase.

You are welcome to contact us if you have any queries.

VOORGESTELDE MOKOLO EN KROKODILRIVIER (WES) WATERAANVULLINGSPROJEK FASE 2A (MKWAP-2A): WATEROORDRAGSKEMA

Die Finale Omvangsbepalingsverslag vir die bogenoemde projek is aanvaar deur die Departement van Omgewingsake op 14 Mei 2018. Dit het toegelaat dat daar met die Omgewingsimpakbepaling(OIB)-fase voortgegaan kon word.

'n Verlenging van die tydperk vir die indiening van die Finale OIB-verslag is daarna vanaf die Departement van Omgewingsake versoek weens, onder andere, die algehele omvang van die projek wat ondersoek moes word sowel as die verskeie spesialis-studies wat uitgevoer moes word. Alhoewel die Departement van Omgewingsake nie die verlenging toegestaan het nie, is daar aangedui dat indien die aansoek sou verval daar 'n nuwe aansoek en die konsep OIB-verslag by die Departement ingedien kon word ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig). Die tydram wat in dié regulasies voorgeskryf word sal steeds geldig wees.

Kragtens Regulasie 21(2)(b) van die OIB-Regulasies van 2014 (soos gewysig), word hiermee kennis gegee aan die Belanghebbende en Geaffekteerde Partye van die volgende:

1. Die aansoek vir die bogenoemde projek het verval aan die einde van Augustus 2018; en
2. Dit is die bedoeling om die aansoek vir die bogenoemde projek weer in te dien en om die OIB voort te sit ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig).

Aparte kennisgewing sal mettertyd gegee word van die openbare besigtigingsperiode van die Konsep OIB-verslag en die gepaardgaande openbare vergaderings om die bevindinge van die OIB-fase aan te bied.

Kontak ons gerus indien u enige navrae het.

Regards / Groete
Donovan Henning

Nemai Consulting
Tel : (011) 781 1730
Fax : (011) 781 1731
Mobile : 082 891 0604
Email : donavanh@nemai.co.za
Address : 147 Bram Fischer Drive Ferndale, 2194
Postal Address : PO Box 1673, Sunninghill, 2157





Tue 04/09/2018 02:55 PM

Donovan Henning

10580 - MCWAP-2A EIA - Resubmission of Application

To

Bcc: Donovan Henning; 'eduardv@aficon.co.za'; 'berniceb@aficon.co.za'; 'Louise.Corbett@af.aurecongroup.com'; 'Iwalda.Bezuidenhout@af.aurecongroup.com'; 'lerato@digbywells.co.za'; 'niqui@digbywells.co.za'; 'info@ekoinfo.co.za'; 'hutcheons@absamail.co.za'; 'mark@mmabolela.co.za'; 'shakas@batseta.co.za'; 'marika@urban-econ.com'; 'vijjoenbc@velavke.co.za'; 'davidvc@mcwap.co.za'; 'williamm@conningarth.co.za'; 'HermaNL@conningarth.co.za'; 'mathulal@uwp.co.za'; 'sandram@uwp.co.za'; 'friedrichs@uwp.co.za'; 'jannie@southernmapping.com'; 'colin@southernmapping.com'; 'polokwane@kwcrs.co.za'; 'jjsnyman@yebo.co.za'; 'ReneO@L2B.co.za'; 'gerald.dejager@aecom.com'; 'johan.rossouw@aecom.com'; 'jonathan.schroder@aecom.com'; 'garym@wetcs.co.za'; 'a.burger@primeafrica.net'; 'j.crafford@primeafrica.net'; 'k.harris@primeafrica.net'; 'teresat@bafokengholdings.com'; 'corrie.marx@bigruafrica.com'; 'anelle@jaws.co.za'; 'cbosman@global.co.za'; 'josefs@mgk.co.za'; 'mokotsane@mics.co.za'; 'Heinrich.Bornman@exxaro.com'; 'Corlia.Smit@exxaro.com'; 'stompie.nel@exxaro.com'; 'tshoko.ratsheko@exxaro.com'; 'fgd@zitholele.co.za'

PROPOSED MOKOLO AND CROCODILE RIVER (WEST) WATER AUGMENTATION PROJECT PHASE 2A (MCWAP-2A): WATER TRANSFER INFRASTRUCTURE

The Final Scoping Report for the abovementioned project was accepted by the Department of Environmental Affairs (DEA) on 14 May 2018. This allowed for the commencement of the Environmental Impact Assessment (EIA) Phase.

An extension was subsequently requested from DEA for the submission of the Final EIA Report to this Department, due to the vast project footprint that needed to be assessed and the various specialist studies that needed to be completed (amongst others). Although DEA did not grant the extension, it was indicated that if the application lapses then a new application and a Draft EIA Report may be submitted to the Department in terms of Regulation 21(2) of the EIA Regulations of 2014 (as amended) and that the timeframes as prescribed in these regulations will still be applicable.

In accordance with Regulation 21(2)(b) of the EIA Regulations of 2014 (as amended), this serves to notify the Interested and Affected Parties of the following:

1. The application for the abovementioned project lapsed at the end of August 2018; and
2. It is the intention to resubmit the application for the abovementioned project and to proceed with the EIA in accordance with Regulation 21(2) of the EIA Regulations of 2014 (as amended).

Separate notification will be provided in due course of the public review period of the Draft EIA Report and the associated public meetings to be convened to present the findings of the EIA phase.

You are welcome to contact us if you have any queries.

VOORGESTELDE MOKOLO EN KROKODILRIVIER (WES) WATERAANVULLINGSPROJEK FASE 2A (MKWAP-2A): WATEROORDRAGSKEMA

Die Finale Omvangsbepalingsverslag vir die bogenoemde projek is aanvaar deur die Departement van Omgewingsake op 14 Mei 2018. Dit het toegelaat dat daar met die Omgewingsimpakbepaling(OIB)-fase voortgegaan kon word.

'n Verlenging van die tydperk vir die indiening van die Finale OIB-verslag is daarna vanaf die Departement van Omgewingsake versoek weens, onder andere, die algehele omvang van die projek wat ondersoek moes word sowel as die verskeie spesialis-studies wat uitgevoer moes word. Alhoewel die Departement van Omgewingsake nie die verlenging toegestaan het nie, is daar aangedui dat indien die aansoek sou verval daar 'n nuwe aansoek en die konsep OIB-verslag by die Departement ingedien kon word ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig). Die tydraam wat in dié regulasies voorgeskryf word sal steeds geldig wees.

Kragtens Regulasie 21(2)(b) van die OIB-Regulasies van 2014 (soos gewysig), word hiermee kennis gegee aan die Belanghebbende en Geaffekteerde Partye van die volgende:

1. Die aansoek vir die bogenoemde projek het verval aan die einde van Augustus 2018; en
2. Dit is die bedoeling om die aansoek vir die bogenoemde projek weer in te dien en om die OIB voort te sit ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig).

Aparte kennisgewing sal mettertyd gegee word van die openbare besigtigingsperiode van die Konsep OIB-verslag en die gepaardgaande openbare vergaderings om die bevindinge van die OIB-fase aan te bied.

Kontak ons gerus indien u enige navrae het.

Regards / Groete
Donovan Henning

Nemai Consulting

Tel : (011) 781 1730

Fax : (011) 781 1731

Mobile : 082 891 0604

Email : donavanh@nemai.co.za

Address : 147 Bram Fischer Drive Ferndale, 2194

Postal Address : PO Box 1673, Sunninghill, 2157



Tue 04/09/2018 02:55 PM

Donavan Henning

10580 - MCWAP-2A EIA - Resubmission of Application



To

Bcc: Donovan Henning; 'jurie.dekok@angloplat.com'; 'gburn@angloplat.com'; 'tdong@angloplat.com'; 'markr@angloplat.com'; 'rvrooyen@angloplat.com'; 'tom.phillips@samancor.com'; 'tphillips@extrata.co.za'; 'solwazi.majola@petrosa.co.za'; 'msuthukazi.makiva@petrosa.co.za'; 'charlepresley@hotmail.com'; 'tcoleman@golder.co.za'; 'cmonokofala@golder.co.za'; 'FWiegmans@golder.co.za'; 'lboyd@golder.co.za'; 'raath@ellirascollge.co.za'; 'bennie@ellirascollge.co.za'; 'kongko.mohafase@gmail.com'; 'rine@laphalalefetcollege.co.za'; 'skillscentre@ellirascollge.co.za'; 'info@bushveldtrainingadventures.co.za'; 'fvuuren@eng.up.ac.za'; 'robertb@fmsa.co.za'; 'henniel@fmsa.co.za'; 'ramagwede@geoscience.org.za'; 'BotsheloR@cogta.gov.za'; 'ramsden@vodamail.co.za'; 'eimank@wrc.org.za'; 'wandler@wrc.org.za'; 'bonanim@wrc.org.za'; 'rvrooyen@semame.co.za'; 'aodendaal@zitholele.co.za'; 'nicolenev@zitholele.co.za'; 'hr@avello.co.za'; 'jaco@envirogrow.co.za'; 'Rapule@digbywells.co.za'; 'Werner.Comrie@af.aurecongroup.com'; 'babs.kagga@shands.co.za'; 'Fanie.Vogel@af.aurecongroup.com'; 'Maletsatsi.Mapesela@af.aurecongroup.com'; 'Gary.Davis@af.aurecongroup.com'; 'leondj@af.aurecongroup.com'; 'diod@aficon.co.za'; 'Viren.Gajathar@af.aurecongroup.com'; 'phillipk@aficon.co.za'; 'germ@aficon.co.za'; 'johanpo@aficon.co.za'; 'Kobus.Prinsloo@af.aurecongroup.com'; 'Japie.botha@af.aurecongroup.com'; 'elmarievdh@aficon.co.za'; 'sarelw@aficon.co.za'

PROPOSED MOKOLO AND CROCODILE RIVER (WEST) WATER AUGMENTATION PROJECT PHASE 2A (MCWAP-2A): WATER TRANSFER INFRASTRUCTURE

The Final Scoping Report for the abovementioned project was accepted by the Department of Environmental Affairs (DEA) on 14 May 2018. This allowed for the commencement of the Environmental Impact Assessment (EIA) Phase.

An extension was subsequently requested from DEA for the submission of the Final EIA Report to this Department, due to the vast project footprint that needed to be assessed and the various specialist studies that needed to be completed (amongst others). Although DEA did not grant the extension, it was indicated that if the application lapses then a new application and a Draft EIA Report may be submitted to the Department in terms of Regulation 21(2) of the EIA Regulations of 2014 (as amended) and that the timeframes as prescribed in these regulations will still be applicable.

In accordance with Regulation 21(2)(b) of the EIA Regulations of 2014 (as amended), this serves to notify the Interested and Affected Parties of the following:

1. The application for the abovementioned project lapsed at the end of August 2018; and
2. It is the intention to resubmit the application for the abovementioned project and to proceed with the EIA in accordance with Regulation 21(2) of the EIA Regulations of 2014 (as amended).

Separate notification will be provided in due course of the public review period of the Draft EIA Report and the associated public meetings to be convened to present the findings of the EIA phase.

You are welcome to contact us if you have any queries.

VOORGESTELDE MOKOLO EN KROKODILRIVIER (WES) WATERAANVULLINGSPROJEK FASE 2A (MKWAP-2A): WATEROORDRAGSKEMA

Die Finale Omvangsbepalingsverslag vir die bogenoemde projek is aanvaar deur die Departement van Omgewingsake op 14 Mei 2018. Dit het toegelaat dat daar met die Omgewingsimpakbepaling(OIB)-fase voortgegaan kon word.

'n Verlenging van die tydperk vir die indiening van die Finale OIB-verslag is daarna vanaf die Departement van Omgewingsake versoek weens, onder andere, die algehele omvang van die projek wat ondersoek moes word sowel as die verskeie spesialis-studies wat uitgevoer moes word. Alhoewel die Departement van Omgewingsake nie die verlenging toegestaan het nie, is daar aangedui dat indien die aansoek sou verval daar 'n nuwe aansoek en die konsep OIB-verslag by die Departement ingedien kon word ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig). Die tydraam wat in dié regulasies voorgeskryf word sal steeds geldig wees.

Kragtens Regulasie 21(2)(b) van die OIB-Regulasies van 2014 (soos gewysig), word hiermee kennis gegee aan die Belanghebbende en Geaffecteerde Partye van die volgende:

1. Die aansoek vir die bogenoemde projek het verval aan die einde van Augustus 2018; en
2. Dit is die bedoeling om die aansoek vir die bogenoemde projek weer in te dien en om die OIB voort te sit ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig).

Aparte kennisgewing sal mettertyd gegee word van die openbare besigtigingsperiode van die Konsep OIB-verslag en die gepaardgaande openbare vergaderings om die bevindinge van die OIB-fase aan te bied.

Kontak ons gerus indien u enige navrae het.

Regards / Groete

Donavan Henning

Nemai Consulting

Tel : (011) 781 1730

Fax : (011) 781 1731

Mobile : 082 891 0604

Email : donavanh@nemai.co.za

Address : 147 Bram Fischer Drive Ferndale, 2194

Postal Address : PO Box 1673, Sunninghill, 2157





Tue 04/09/2018 02:55 PM

Donovan Henning

10580 - MCWAP-2A EIA - Resubmission of Application

To

Bcc: Donovan Henning; bobby@groundwork.org.; robs@groundwork.org.; rico@groundwork.org.; cairncrosse@gmail.com.; reddick.jane@gmail.com.; susie.brownlie@dbass.co.; info@wessanorth.co.; secretary@birdlife.org.; info@birdlife.org.; mariettel@pea.org.; bridgett@ewt.org.; Willie.duPlessis@exxaro.co.; wolfe.jahn@exxaro.co.; corrie.jansevanrensburg@exxaro.co.; frans.human@exxaro.co.; phodius.machaba@exxaro.co.; jan.oberholzer@exxaro.co.; Tendani.Mufamadi@exxaro.co.; Filomaine.Swanepoel@exxaro.co.; hendrik.jones@samrec.co.; radingoanam@sekoko.co.; asith@sekoko.co.; andy@sekoko.co.; T.Hall@angloamerican.co.; kmcintyre@angloamerican.co.; fgrove@angloamerican.co.; bbierman@angloplat.co.; bbierman@ampnet.co.; bernardm@angloplat.co.; TSteele@angloamerican.co.; gawie@aquarius.co.; gawe.dewet@aquarius.co.; jdeventer@aquarius.co.; bill.erasmus@implats.co.; peterr@implats.co.; ursula.motsoeng@lonplats.co.; mark.maynard@lonplats.co.; jstelpos@mweb.co.; karen.chetty@lonmin.co.; dpistorius@extrata.co.; adminza@coalofafrica.co.; tom.verbeek@kioldt.co.; albert.duplessis@kioldt.co.; helet.hatting@kioldt.co.; elsabe.theron@kioldt.co.; 6010169@angloamerican.co.; jdeventer@aquarius.co.; drkruger@bullion.org.; mmakwela@bullion.org.; smudau@bullion.org.; mabundae@ael.co.; rmontjoie@umbono.co.; mcutcheon@umbono.co.; krana@umbono.co.; hhattingh@eastplats.co.; theo.debruin@angloplat.co.

PROPOSED MOKOLO AND CROCODILE RIVER (WEST) WATER AUGMENTATION PROJECT PHASE 2A (MCWAP-2A): WATER TRANSFER INFRASTRUCTURE

The Final Scoping Report for the abovementioned project was accepted by the Department of Environmental Affairs (DEA) on 14 May 2018. This allowed for the commencement of the Environmental Impact Assessment (EIA) Phase.

An extension was subsequently requested from DEA for the submission of the Final EIA Report to this Department, due to the vast project footprint that needed to be assessed and the various specialist studies that needed to be completed (amongst others). Although DEA did not grant the extension, it was indicated that if the application lapses then a new application and a Draft EIA Report may be submitted to the Department in terms of Regulation 21(2) of the EIA Regulations of 2014 (as amended) and that the timeframes as prescribed in these regulations will still be applicable.

In accordance with Regulation 21(2)(b) of the EIA Regulations of 2014 (as amended), this serves to notify the Interested and Affected Parties of the following:

1. The application for the abovementioned project lapsed at the end of August 2018; and
2. It is the intention to resubmit the application for the abovementioned project and to proceed with the EIA in accordance with Regulation 21(2) of the EIA Regulations of 2014 (as amended).

Separate notification will be provided in due course of the public review period of the Draft EIA Report and the associated public meetings to be convened to present the findings of the EIA phase.

You are welcome to contact us if you have any queries.

VOORGESTELDE MOKOLO EN KROKODILRIVIER (WES) WATERAANVULLINGSPROJEK FASE 2A (MKWAP-2A): WATEROORDRAGSKEMA

Die Finale Omvangsbepalingsverslag vir die bogenoemde projek is aanvaar deur die Departement van Omgewingsake op 14 Mei 2018. Dit het toegelaat dat daar met die Omgewingsimpakbepaling(OIB)-fase voortgegaan kon word.

'n Verlenging van die tydperk vir die indiening van die Finale OIB-verslag is daarna vanaf die Departement van Omgewingsake versoek weens, onder andere, die algehele omvang van die projek wat ondersoek moes word sowel as die verskeie spesialis-studies wat uitgevoer moes word. Alhoewel die Departement van Omgewingsake nie die verlenging toegestaan het nie, is daar aangedui dat indien die aansoek sou verval daar 'n nuwe aansoek en die konsep OIB-verslag by die Departement ingedien kon word ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig). Die tydraam wat in dié regulasies voorgeskryf word sal steeds geldig wees.

Kragtens Regulasie 21(2)(b) van die OIB-Regulasies van 2014 (soos gewysig), word hiermee kennis gegee aan die Belanghebbende en Geaffekteerde Partye van die volgende:

1. Die aansoek vir die bogenoemde projek het verval aan die einde van Augustus 2018; en
2. Dit is die bedoeling om die aansoek vir die bogenoemde projek weer in te dien en om die OIB voort te sit ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig).

Aparte kennisgewing sal mettertyd gegee word van die openbare besigtigingsperiode van die Konsep OIB-verslag en die gepaardgaande openbare vergaderings om die bevindinge van die OIB-fase aan te bied.

Kontak ons gerus indien u enige navrae het.

Regards / Groete
Donovan Henning

Nemai Consulting

Tel : (011) 781 1730

Fax : (011) 781 1731

Mobile : 082 891 0604

Email : donavanh@nemai.co.za

Address : 147 Bram Fischer Drive Ferndale, 2194

Postal Address : PO Box 1673, Sunninghill, 2157





Tue 04/09/2018 02:55 PM

Donavan Henning

10580 - MCWAP-2A EIA - Resubmission of Application

To

Bcc: Donovan Hennir; 'leon@chobe.co.za'; 'newton@yaalwater.co.za'; 'jcviljoen@worldonline.co.za'; 'belapetroleum@telkomsa.r'; 'Gerhard@oryx ranch.co.za'; 'ntl1@ctec.co.za'; 'bestuurder@ntlu.co.za'; 'wilma@ntlu.co.za'; 'nico@getemail.co.za'; 'dluvalwater@goggaconnect.co.za'; 'hanlie@agricconnect.co.za'; 'hanlie@nafu.co.za'; 'nick@hbpib.co.za'; 'roland@alledgroup.co.za'; 'basiedebeer@gmail.co.za'; 'krokedlives@telkomsa.r'; 'driekat@ctec.co.za'; 'kokomori@mwweb.co.za'; 'krokochem@intekom.co.za'; 'braambrits@gmail.co.za'; 'oukraal@yahoo.co.za'; 'hardus@lantic.ni'; 'impalagamereserve@telkomsa.r'; 'ceo@sahunt.co.za'; 'manager@wrsa.co.za'; 'admin@wrsa.co.za'; 'pa@wrsa.co.za'; 'admin@wrsa.co.za'; 'impalagamereserve@telkomsa.r'; 'info@phasa.co.za'; 'pieta-baden@mwweb.co.za'; 'zcor@lantic.ni'; 'herman.barnard@era.co.za'; 'masiwela@absamail.co.za'; 'nic@agrisa.co.za'; 'Dirk@agrisa.co.za'; 'agrilaphalale@vodamail.co.za'; 'agriniv@lantic.ni'; 'sanetde254@gmail.co.za'; 'gertc@webmail.co.za'; 'bloekomrus@vodamail.co.za'; 'tiaan.burger@sasol.co.za'; 'farai.chamisa@sasol.co.za'; 'andries.meyer@sasol.co.za'; 'christo.cilliers@sasol.co.za'; 'carin.tredoux@sasol.co.za'; 'jacques.duplessis@sasol.co.za'; 'martin.ginster@sasol.co.za'; 'bertie.botha@sasol.co.za'; 'pcooke@greenpeace.o'; 'rhugo@cer.org.za'; 'hloser@cer.org.za'; 'skamanja@cer.org.za'; 'nphlander@cer.org.za'; 'dominique@earthlife.org.za'; 'tristen@earthlife.org.za'; 'trusha@earthlife.org.za'; 'makoma@earthlife.org.za'; 'seccp@earthlife.org.za'; 'mfourie@cer.org.za'; 'nsibisi@greenpeace.o

PROPOSED MOKOLO AND CROCODILE RIVER (WEST) WATER AUGMENTATION PROJECT PHASE 2A (MCWAP-2A): WATER TRANSFER INFRASTRUCTURE

The Final Scoping Report for the abovementioned project was accepted by the Department of Environmental Affairs (DEA) on 14 May 2018. This allowed for the commencement of the Environmental Impact Assessment (EIA) Phase.

An extension was subsequently requested from DEA for the submission of the Final EIA Report to this Department, due to the vast project footprint that needed to be assessed and the various specialist studies that needed to be completed (amongst others). Although DEA did not grant the extension, it was indicated that if the application lapses then a new application and a Draft EIA Report may be submitted to the Department in terms of Regulation 21(2) of the EIA Regulations of 2014 (as amended) and that the timeframes as prescribed in these regulations will still be applicable.

In accordance with Regulation 21(2)(b) of the EIA Regulations of 2014 (as amended), this serves to notify the Interested and Affected Parties of the following:

1. The application for the abovementioned project lapsed at the end of August 2018; and
2. It is the intention to resubmit the application for the abovementioned project and to proceed with the EIA in accordance with Regulation 21(2) of the EIA Regulations of 2014 (as amended).

Separate notification will be provided in due course of the public review period of the Draft EIA Report and the associated public meetings to be convened to present the findings of the EIA phase.

You are welcome to contact us if you have any queries.

VOORGESTELDE MOKOLO EN KROKODILRIVIER (WES) WATERAANVULLINGSPROJEK FASE 2A (MKWAP-2A): WATEROORDRAGSKEMA

Die Finale Omvangsbepalingsverslag vir die bogenoemde projek is aanvaar deur die Departement van Omgewingsake op 14 Mei 2018. Dit het toegelaat dat daar met die Omgewingsimpakbepaling(OIB)-fase voortgegaan kon word.

'n Verlenging van die tydperk vir die indiening van die Finale OIB-verslag is daarna vanaf die Departement van Omgewingsake versoek weens, onder andere, die algehele omvang van die projek wat ondersoek moes word sowel as die verskeie spesialis-studies wat uitgevoer moes word. Alhoewel die Departement van Omgewingsake nie die verlenging toegestaan het nie, is daar aangedui dat indien die aansoek sou verval daar 'n nuwe aansoek en die konsep OIB-verslag by die Departement ingedien kon word ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig). Die tydraam wat in dié regulasies voorgeskryf word sal steeds geldig wees.

Kragtens Regulasie 21(2)(b) van die OIB-Regulasies van 2014 (soos gewysig), word hiermee kennis gegee aan die Belanghebbende en Geaffekteerde Partye van die volgende:

1. Die aansoek vir die bogenoemde projek het verval aan die einde van Augustus 2018; en
2. Dit is die bedoeling om die aansoek vir die bogenoemde projek weer in te dien en om die OIB voort te sit ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig).

Aparte kennisgewing sal mettertyd gegee word van die openbare besigtigingsperiode van die Konsep OIB-verslag en die gepaardgaande openbare vergaderings om die bevindinge van die OIB-fase aan te bied.

Kontak ons gerus indien u enige navrae het.

Regards / Groete
Donavan Henning

Nemai Consulting
Tel : (011) 781 1730
Fax : (011) 781 1731
Mobile : 082 891 0604
Email : donavanh@nemai.co.za
Address : 147 Bram Fischer Drive Ferndale, 2194
Postal Address : PO Box 1673, Sunninghill, 2157





Tue 04/09/2018 02:55 PM

Donavan Henning

10580 - MCWAP-2A EIA - Resubmission of Application

To

Bcc: Donavan Hennir; 'fjbotha@icon.co.zi'; 'johann@duster5.co.zi'; 'dennisdj@vodamail.co.zi'; 'dennisejongh10@gmail.com'; 'joles@acornfoundation.org'; 'christo@ivora.co.zi'; 'fisheries@absamail.co.zi'; 'jacquie.pastor@gmail.com'; 'graeme@smartenergy-sa.co.zi'; 'estatemanager@westlake.co.zi'; 'manager@thecoves.co.zi'; 'gunther.stoger@hotmail.com'; 'kathyhobbs@mweb.co.zi'; 'kathyhobbs@mweb.co.zi'; 'cedric.walstra@gmail.com'; 'karenwalstra@gmail.com'; 'jennyjordan2@gmail.com'; 't.cass@vodamail.co.zi'; 'vivian@law.co.zi'; 'lerouxvberg@icloud.com'; 'jenny@facts.co.zi'; 'julefionallundt@gmail.com'; 'info@canoekayak.co.zi'; 'steyn.martie@gmail.com'; 'helen@cvlattorneys.co.zi'; 'lourens@waterpleasure.co.zi'; 'glen@roxburgh.co.zi'; 'charmsdut@gmail.com'; 'debradawn12@gmail.com'; 'mike.capon@Sensetek.tz'; 'Andrew.McGregor@cohesion.co.zi'; 'barbara.mcgregor@cohesion.co.zi'; 'phil.e@bluedust.co.zi'; 'johnrw@telkomsa.nz'; 'trenig@africa.co.zi'; 'mikedicks27@gmail.com'; 'technoco@mweb.co.zi'; 'leith.meyer@up.ac.zi'; 'craig@kusanicomposites.co.zi'; 'lana@laur.co.zi'; 'derek.freeman49@gmail.com'; 'karenwalstra@gmail.com'; 'briangardner1984@gmail.com'; 'charles@jaxwax.co.zi'; 'elizabeth.ntlatleng@gauteng.gov.zi'; 'ellen@vandokem.co.zi'; 'valsecchim@telkomsa.nz'; 'info@sifc.co.zi'; 'ElinorB@jse.co.zi'; 'Magdelvd@gmail.com'; 'Kate.trustee58@gmail.com'; 'Lynda@absamail.co.zi'; 'tarryn.mackay@harcourts.co.zi'; 'laterrazza@mweb.co.zi'; 'donnbruwer@mweb.co.zi'; 'Kozu.Takeshi@jica.go.zi'; 'mathysv@zithole.co.zi'; 'SonoF@eskom.co.zi'; 'BokweTT@eskom.co.zi';

PROPOSED MOKOLO AND CROCODILE RIVER (WEST) WATER AUGMENTATION PROJECT PHASE 2A (MCWAP-2A): WATER TRANSFER INFRASTRUCTURE

The Final Scoping Report for the abovementioned project was accepted by the Department of Environmental Affairs (DEA) on 14 May 2018. This allowed for the commencement of the Environmental Impact Assessment (EIA) Phase.

An extension was subsequently requested from DEA for the submission of the Final EIA Report to this Department, due to the vast project footprint that needed to be assessed and the various specialist studies that needed to be completed (amongst others). Although DEA did not grant the extension, it was indicated that if the application lapses then a new application and a Draft EIA Report may be submitted to the Department in terms of Regulation 21(2) of the EIA Regulations of 2014 (as amended) and that the timeframes as prescribed in these regulations will still be applicable.

In accordance with Regulation 21(2)(b) of the EIA Regulations of 2014 (as amended), this serves to notify the Interested and Affected Parties of the following:

1. The application for the abovementioned project lapsed at the end of August 2018; and
2. It is the intention to resubmit the application for the abovementioned project and to proceed with the EIA in accordance with Regulation 21(2) of the EIA Regulations of 2014 (as amended).

Separate notification will be provided in due course of the public review period of the Draft EIA Report and the associated public meetings to be convened to present the findings of the EIA phase.

You are welcome to contact us if you have any queries.

VOORGESTELDE MOKOLO EN KROKODILRIVIER (WES) WATERAANVULLINGSPROJEK FASE 2A (MKWAP-2A): WATEROORDRAGSKEMA

Die Finale Omvangsbepalingsverslag vir die bogenoemde projek is aanvaar deur die Departement van Omgewingsake op 14 Mei 2018. Dit het toegelaat dat daar met die Omgewingsimpakbepaling(OIB)-fase voortgegaan kon word.

'n Verlenging van die tydperk vir die indiening van die Finale OIB-verslag is daarna vanaf die Departement van Omgewingsake versoek weens, onder andere, die algehele omvang van die projek wat ondersoek moes word sowel as die verskeie spesialis-studies wat uitgevoer moes word. Alhoewel die Departement van Omgewingsake nie die verlenging toegestaan het nie, is daar aangedui dat indien die aansoek sou verval daar 'n nuwe aansoek en die konsep OIB-verslag by die Departement ingedien kon word ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig). Die tydraam wat in dié regulasies voorgeskryf word sal steeds geldig wees.

Kragtens Regulasie 21(2)(b) van die OIB-Regulasies van 2014 (soos gewysig), word hiermee kennis gegee aan die Belanghebbende en Geaffekteerde Partye van die volgende:

1. Die aansoek vir die bogenoemde projek het verval aan die einde van Augustus 2018; en
2. Dit is die bedoeling om die aansoek vir die bogenoemde projek weer in te dien en om die OIB voort te sit ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig).

Aparte kennisgewing sal mettertyd gegee word van die openbare besigtigingsperiode van die Konsep OIB-verslag en die gepaardgaande openbare vergaderings om die bevindinge van die OIB-fase aan te bied.

Kontak ons gerus indien u enige navrae het.

Regards / Groete
Donavan Henning

Nemai Consulting

Tel : (011) 781 1730

Fax : (011) 781 1731

Mobile : 082 891 0604

Email : donavanh@nemai.co.za

Address : 147 Bram Fischer Drive Ferndale, 2194

Postal Address : PO Box 1673, Sunninghill, 2157





Tue 04/09/2018 02:54 PM

Donovan Henning

10580 - MCWAP-2A EIA - Resubmission of Application

To

Bcc: Donovan Henning; 'mzanywan@dwa.gov.za'; 'SephotiT@dwa.gov.za'; 'modibas@dwa.gov.za'; 'vanniekerk@dwa.gov.za'; 'Echoma@environment.gov.za'; 'tboshoff@nwpwg.gov.za'; 'leratosebidi@madibeng.gov.za'; 'kealebogatlala@madibeng.gov.za'; 'ralekoaw@dwa.gov.za'; 'bothar@dwa.gov.za'; 'kmoorosi@nwpwg.gov.za'; 'ddmkgonedwa@nwpwg.gov.za'; 'jmathabela@nwpwg.gov.za'; 'jdaassen@nwpwg.gov.za'; 'maratjie@samsa.org.za'; 'fchilalika@samsa.org.za'; 'choogkamer@nwpwg.gov.za'; 'pnel@nwpwb.co.za'; 'Nmchunu@environment.gov.za'

PROPOSED MOKOLO AND CROCODILE RIVER (WEST) WATER AUGMENTATION PROJECT PHASE 2A (MCWAP-2A): WATER TRANSFER INFRASTRUCTURE

The Final Scoping Report for the abovementioned project was accepted by the Department of Environmental Affairs (DEA) on 14 May 2018. This allowed for the commencement of the Environmental Impact Assessment (EIA) Phase.

An extension was subsequently requested from DEA for the submission of the Final EIA Report to this Department, due to the vast project footprint that needed to be assessed and the various specialist studies that needed to be completed (amongst others). Although DEA did not grant the extension, it was indicated that if the application lapses then a new application and a Draft EIA Report may be submitted to the Department in terms of Regulation 21(2) of the EIA Regulations of 2014 (as amended) and that the timeframes as prescribed in these regulations will still be applicable.

In accordance with Regulation 21(2)(b) of the EIA Regulations of 2014 (as amended), this serves to notify the Interested and Affected Parties of the following:

1. The application for the abovementioned project lapsed at the end of August 2018; and
2. It is the intention to resubmit the application for the abovementioned project and to proceed with the EIA in accordance with Regulation 21(2) of the EIA Regulations of 2014 (as amended).

Separate notification will be provided in due course of the public review period of the Draft EIA Report and the associated public meetings to be convened to present the findings of the EIA phase.

You are welcome to contact us if you have any queries.

VOORGESTELDE MOKOLO EN KROKODILRIVIER (WES) WATERAANVULLINGSPROJEK FASE 2A (MKWAP-2A): WATEROORDRAGSKEMA

Die Finale Omvangsbepalingsverslag vir die bogenoemde projek is aanvaar deur die Departement van Omgewingsake op 14 Mei 2018. Dit het toegelaat dat daar met die Omgewingsimpakbepaling(OIB)-fase voortgegaan kon word.

'n Verlenging van die tydperk vir die indiening van die Finale OIB-verslag is daarna vanaf die Departement van Omgewingsake versoek weens, onder andere, die algehele omvang van die projek wat ondersoek moes word sowel as die verskeie spesialis-studies wat uitgevoer moes word. Alhoewel die Departement van Omgewingsake nie die verlenging toegestaan het nie, is daar aangedui dat indien die aansoek sou verval daar 'n nuwe aansoek en die konsep OIB-verslag by die Departement ingedien kon word ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig). Die tydraam wat in dié regulasies voorgeskryf word sal steeds geldig wees.

Kragtens Regulasie 21(2)(b) van die OIB-Regulasies van 2014 (soos gewysig), word hiermee kennis gegee aan die Belanghebbende en Geaffekteerde Partye van die volgende:

1. Die aansoek vir die bogenoemde projek het verval aan die einde van Augustus 2018; en
2. Dit is die bedoeling om die aansoek vir die bogenoemde projek weer in te dien en om die OIB voort te sit ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig).

Aparte kennisgewing sal mettertyd gegee word van die openbare besigtigingsperiode van die Konsep OIB-verslag en die gepaardgaande openbare vergaderings om die bevindinge van die OIB-fase aan te bied.

Kontak ons gerus indien u enige navrae het.

Regards / Groete
Donovan Henning

Nemai Consulting
Tel : (011) 781 1730
Fax : (011) 781 1731
Mobile : 082 891 0604
Email : donavanh@nemai.co.za
Address : 147 Bram Fischer Drive Ferndale, 2194
Postal Address : PO Box 1673, Sunninghill, 2157





Tue 04/09/2018 02:53 PM

Donovan Henning

10580 - MCWAP-2A EIA - Resubmission of Application

To

Bcc: Donovan Henning; 'thobejanes@dws.gov.za'; 'khozaf@dws.gov.za'; 'madumoe@dws.gov.za'; 'lolfants@dws.gov.za'; 'nkokwoa@dws.gov.za'; 'blouwv@dws.gov.za'; 'jcviljoen@wozaldowline.co.za'; 'makahaner@dws.gov.za'; 'kgaulengni@dws.gov.za'; 'dmaserumule@platinum.com'; 'mafatshe@platinum.com'; 'chrisbarkhuizen@worldonline.co.za'; 'mmofo.rakgase@bbkta.co.za'; 'henk.lina40@gmail.com'; 'Veronique.booyes@ppc.co.za'; 'luneysa.taljar@ppc.co.za'; 'kgabilengni@dws.gov.za'; 'masindig@dws.gov.za'; 'plentsoane@platinum.com'; 'Ketumetse.totouwe@angloamerican.co.za'; 'Asaph.mgoepe@ppc.co.za'; 'mmolontwa@ppc.co.za'; 'thabadirase@thabazimbi.gov.za'; 'Andrew.mclaren@vodmail.co.za'; 'tienie@maroeloes.co.za'; 'mlokommel@dws.gov.za'; 'sibos@gmheoo.com'; 'Mulusey.zitha@angloamerican.com'; 'isaacs@dws.gov.za'; 'jcviljoen@worldonline.co.za'; 'mboweniz@dws.gov.za'; 'ndovej@dpw.limpopo.gov.za'; 'baloitg@dws.gov.za'

PROPOSED MOKOLO AND CROCODILE RIVER (WEST) WATER AUGMENTATION PROJECT PHASE 2A (MCWAP-2A): WATER TRANSFER INFRASTRUCTURE

The Final Scoping Report for the abovementioned project was accepted by the Department of Environmental Affairs (DEA) on 14 May 2018. This allowed for the commencement of the Environmental Impact Assessment (EIA) Phase.

An extension was subsequently requested from DEA for the submission of the Final EIA Report to this Department, due to the vast project footprint that needed to be assessed and the various specialist studies that needed to be completed (amongst others). Although DEA did not grant the extension, it was indicated that if the application lapses then a new application and a Draft EIA Report may be submitted to the Department in terms of Regulation 21(2) of the EIA Regulations of 2014 (as amended) and that the timeframes as prescribed in these regulations will still be applicable.

In accordance with Regulation 21(2)(b) of the EIA Regulations of 2014 (as amended), this serves to notify the Interested and Affected Parties of the following:

1. The application for the abovementioned project lapsed at the end of August 2018; and
2. It is the intention to resubmit the application for the abovementioned project and to proceed with the EIA in accordance with Regulation 21(2) of the EIA Regulations of 2014 (as amended).

Separate notification will be provided in due course of the public review period of the Draft EIA Report and the associated public meetings to be convened to present the findings of the EIA phase.

You are welcome to contact us if you have any queries.

VOORGESTELDE MOKOLO EN KROKODILRIVIER (WES) WATERAANVULLINGSPROJEK FASE 2A (MKWAP-2A): WATEROORDRAGSKEMA

Die Finale Omvangsbepalingsverslag vir die bogenoemde projek is aanvaar deur die Departement van Omgewingsake op 14 Mei 2018. Dit het toegelaat dat daar met die Omgewingsimpakbepaling(OIB)-fase voortgegaan kon word.

'n Verlenging van die tydperk vir die indiening van die Finale OIB-verslag is daarna vanaf die Departement van Omgewingsake versoek weens, onder andere, die algehele omvang van die projek wat ondersoek moes word sowel as die verskeie spesialis-studies wat uitgevoer moes word. Alhoewel die Departement van Omgewingsake nie die verlenging toegestaan het nie, is daar aangedui dat indien die aansoek sou verval daar 'n nuwe aansoek en die konsep OIB-verslag by die Departement ingedien kon word ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig). Die tydraam wat in dié regulasies voorgeskryf word sal steeds geldig wees.

Kragtens Regulasie 21(2)(b) van die OIB-Regulasies van 2014 (soos gewysig), word hiermee kennis gegee aan die Belanghebbende en Geaffekteerde Partye van die volgende:

1. Die aansoek vir die bogenoemde projek het verval aan die einde van Augustus 2018; en
2. Dit is die bedoeling om die aansoek vir die bogenoemde projek weer in te dien en om die OIB voort te sit ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig).

Aparte kennisgewing sal mettertyd gegee word van die openbare besigtigingsperiode van die Konsep OIB-verslag en die gepaardgaande openbare vergaderings om die bevindinge van die OIB-fase aan te bied.

Kontak ons gerus indien u enige navrae het.

Regards / Groete
Donovan Henning

Nemai Consulting

Tel : (011) 781 1730

Fax : (011) 781 1731

Mobile : 082 891 0604

Email : donavanh@nemai.co.za

Address : 147 Bram Fischer Drive Ferndale, 2194

Postal Address : PO Box 1673, Sunninghill, 2157





Tue 04/09/2018 02:53 PM

Donovan Henning

10580 - MCWAP-2A EIA - Resubmission of Application

To

Bcc: Donovan Hennir; info@matabasriverlodge.co; standerh@yahoo.co; info@matabasriverlodge.co; info@kirabo.co.z; jaco@kirabo.co.z; coenien@agrinet.co.; kmyles@global.co.; esonntag@mweb.co.; nicky@matabasreserve.co.; jb@westhuizen.co.; mossieph@vodamail.co.; info@ngwarati.co.; radpabedk@tut.ac.; info@cheetahsafaris.co.; pgb@cheetahsafaris.co.; tom@fontis.co.z; gerize@fontis.co.; albre@badenkop.co.; ben@benbos.co.; bdelta@lantic.n; GawieP@fidelitysecurity.co.; john@legacycorp.co.; michelle@legacycorp.co.; lalicaastro@hotmail.co.; jurisbrahmane@gmail.co.; koe.doe@hotmail.co.; frans.kemp@exxaro.co.; mariusbarnard@vodamail.co.; leoni@thwanesafarisafrika.co.; mariusbarnard@vodamail.co.; henniek@fer-min-ore.co.; johan@wildafricasec.co.; bosveldavontuur@gmail.co.; henniedeyzel@gmail.co.; alta@meta.co.z; pjaduplessis@gmail.co.; bububush@lantic.n; hardus@lantic.n; cjndutoit@gmail.co.; hunt@kuche.co.; cjndutoit@gmail.co.; rosegoncalves25@gmail.co.; cydmerwe@vodamail.co.; tm726604@gmail.co.; berbejoubert@telkomsa.n; annette.christiaens@gmail.co.; marie.powell50@ntlworld.co.; orpheuss4@gmail.co.; stompie.nel@exxaro.co.; filomaine.swanepoel@exxaro.co.; kgabo.tlhako@lephalale.gov.z; ngkerklimpopo@gmail.co.; ludoning@gmail.co.; letsedlodge.steenbokpan@gmail.; jburger1009@gmail.co.; hennisuzette@gmail.co.; bdb@dmv.co.z; rdb@dmv.co.z; bakie.de.beer@gmail.co.; jacquearmold75@gmail.co.; phgfarming@gmail.co;

PROPOSED MOKOLO AND CROCODILE RIVER (WEST) WATER AUGMENTATION PROJECT PHASE 2A (MCWAP-2A): WATER TRANSFER INFRASTRUCTURE

The Final Scoping Report for the abovementioned project was accepted by the Department of Environmental Affairs (DEA) on 14 May 2018. This allowed for the commencement of the Environmental Impact Assessment (EIA) Phase.

An extension was subsequently requested from DEA for the submission of the Final EIA Report to this Department, due to the vast project footprint that needed to be assessed and the various specialist studies that needed to be completed (amongst others). Although DEA did not grant the extension, it was indicated that if the application lapses then a new application and a Draft EIA Report may be submitted to the Department in terms of Regulation 21(2) of the EIA Regulations of 2014 (as amended) and that the timeframes as prescribed in these regulations will still be applicable.

In accordance with Regulation 21(2)(b) of the EIA Regulations of 2014 (as amended), this serves to notify the Interested and Affected Parties of the following:

1. The application for the abovementioned project lapsed at the end of August 2018; and
2. It is the intention to resubmit the application for the abovementioned project and to proceed with the EIA in accordance with Regulation 21(2) of the EIA Regulations of 2014 (as amended).

Separate notification will be provided in due course of the public review period of the Draft EIA Report and the associated public meetings to be convened to present the findings of the EIA phase.

You are welcome to contact us if you have any queries.

VOORGESTELDE MOKOLO EN KROKODILRIVIER (WES) WATERAANVULLINGSPROJEK FASE 2A (MKWAP-2A): WATEROORDRAGSKEMA

Die Finale Omvangsbepalingsverslag vir die bogenoemde projek is aanvaar deur die Departement van Omgewingsake op 14 Mei 2018. Dit het toegelaat dat daar met die Omgewingsimpakbepaling(OIB)-fase voortgegaan kon word.

'n Verlenging van die tydperk vir die indiening van die Finale OIB-verslag is daarna vanaf die Departement van Omgewingsake versoek weens, onder andere, die algehele omvang van die projek wat ondersoek moes word sowel as die verskeie spesialis-studies wat uitgevoer moes word. Alhoewel die Departement van Omgewingsake nie die verlenging toegestaan het nie, is daar aangedui dat indien die aansoek sou verval daar 'n nuwe aansoek en die konsep OIB-verslag by die Departement ingedien kon word ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig). Die tydraam wat in dié regulasies voorgeskrif word sal steeds geldig wees.

Kragtens Regulasie 21(2)(b) van die OIB-Regulasies van 2014 (soos gewysig), word hiermee kennis gegee aan die Belanghebbende en Geaffekteerde Partye van die volgende:

1. Die aansoek vir die bogenoemde projek het verval aan die einde van Augustus 2018; en
2. Dit is die bedoeling om die aansoek vir die bogenoemde projek weer in te dien en om die OIB voort te sit ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig).

Aparte kennisgewing sal mettertyd gegee word van die openbare besigtigingsperiode van die Konsep OIB-verslag en die gepaardgaande openbare vergaderings om die bevindinge van die OIB-fase aan te bied.

Kontak ons gerus indien u enige navrae het.

Regards / Groete
Donovan Henning

Nemai Consulting
Tel : (011) 781 1730
Fax : (011) 781 1731
Mobile : 082 891 0604
Email : donavanh@nemai.co.za
Address : 147 Bram Fischer Drive Ferndale, 2194
Postal Address : PO Box 1673, Sunninghill, 2157





Tue 04/09/2018 02:52 PM

Donovan Henning

10580 - MCWAP-2A EIA - Resubmission of Application

To

Bcc Donovan Hennir; hanover@thabanet.co.; leon@thabanet.co.; combretum lodge@gmail.co.; fanievd@gmail.co.; cobusjv@mweb.co.; wyndup@netactive.co.; jgrobler1@telkomsa.n; jan@mygrootfontein.co; veeden@telkomsa.n; albert.duplessis@angloamerican.c; heilet.hattingh@angloamerican.c; bauerg@iafrica.co.; annie101@hotmail.co.; wesseldc@gmail.co; holte@noltesafaris.co.; marthinus.mare@angloplat.c; marthinus.mare@gmail.co; proteafarms@mtloaded.co.; loriofarming@gmail.co; herton@telkomsa.n; victor@lantic.n; victor@lantic.n; mandsoetzee@absamail.co; mhcoetzee1978@gmail.co; coetza@absamail.co; kwiet@eastrandcranes.co; c.honiball@yahoo.co.; chrispy@wol.co.; careljpelsers@gmail.co; rubin@thabatholo.co.; dennis@thabatholo.co.; lourens@louma.co.; rmaduplessis10@gmail.co.; wouter@thabatholo.co.; marthie@marolien.co.; info@marolien.co.; meklenberg@gmail.co.; johannprinsloo@xpress.co.; croco@lantic.n; tertius.roux@gmail.co.; pierre@trutool.co.; BeccaroA@advancedlab.co.; herman@bosveldtbz.co.; dxsteel@mweb.co.; p1visser@mweb.co.; ampie2@vodamail.co.; buffalo@creek@webmail.co.; nadia@vfv.co.; schalk@vfv.co.; hannes@gamevest.co.; leon.fouche@iafrica.c; hannes@gamefest.co.; elton@jhb101.co.; joseph@wilkinsonslaw.co.; williedeswardt@telkomsa.r; dirk@csq.co.z; hennievdinde@xsinet.co.; nhkvliege@lantic.n; info@matlabasriverlodge.co; wimpiebotha2@gmail.co; greatland@lantic.n; ...

PROPOSED MOKOLO AND CROCODILE RIVER (WEST) WATER AUGMENTATION PROJECT PHASE 2A (MCWAP-2A): WATER TRANSFER INFRASTRUCTURE

The Final Scoping Report for the abovementioned project was accepted by the Department of Environmental Affairs (DEA) on 14 May 2018. This allowed for the commencement of the Environmental Impact Assessment (EIA) Phase.

An extension was subsequently requested from DEA for the submission of the Final EIA Report to this Department, due to the vast project footprint that needed to be assessed and the various specialist studies that needed to be completed (amongst others). Although DEA did not grant the extension, it was indicated that if the application lapses then a new application and a Draft EIA Report may be submitted to the Department in terms of Regulation 21(2) of the EIA Regulations of 2014 (as amended) and that the timeframes as prescribed in these regulations will still be applicable.

In accordance with Regulation 21(2)(b) of the EIA Regulations of 2014 (as amended), this serves to notify the Interested and Affected Parties of the following:

1. The application for the abovementioned project lapsed at the end of August 2018; and
2. It is the intention to resubmit the application for the abovementioned project and to proceed with the EIA in accordance with Regulation 21(2) of the EIA Regulations of 2014 (as amended).

Separate notification will be provided in due course of the public review period of the Draft EIA Report and the associated public meetings to be convened to present the findings of the EIA phase.

You are welcome to contact us if you have any queries.

VOORGESTELDE MOKOLO EN KROKODILRIVIER (WES) WATERAANVULLINGSPROJEK FASE 2A (MKWAP-2A): WATEROORDRAGSKEMA

Die Finale Omvangsbepalingsverslag vir die bogenoemde projek is aanvaar deur die Departement van Omgewingsake op 14 Mei 2018. Dit het toegelaat dat daar met die Omgewingsimpakbepaling(OIB)-fase voortgegaan kon word.

'n Verlenging van die tydperk vir die indiening van die Finale OIB-verslag is daarna vanaf die Departement van Omgewingsake versoek weens, onder andere, die algehele omvang van die projek wat ondersoek moes word sowel as die verskeie spesialis-studies wat uitgevoer moes word. Alhoewel die Departement van Omgewingsake nie die verlenging toegestaan het nie, is daar aangedui dat indien die aansoek sou verval daar 'n nuwe aansoek en die konsep OIB-verslag by die Departement ingedien kon word ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig). Die tydraam wat in dié regulasies voorgeskryf word sal steeds geldig wees.

Kragtens Regulasie 21(2)(b) van die OIB-Regulasies van 2014 (soos gewysig), word hiermee kennis gegee aan die Belanghebbende en Geaffekteerde Partye van die volgende:

1. Die aansoek vir die bogenoemde projek het verval aan die einde van Augustus 2018; en
2. Dit is die bedoeling om die aansoek vir die bogenoemde projek weer in te dien en om die OIB voort te sit ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig).

Aparte kennisgewing sal mettertyd gegee word van die openbare besigtigingsperiode van die Konsep OIB-verslag en die gepaardgaande openbare vergaderings om die bevindinge van die OIB-fase aan te bied.

Kontak ons gerus indien u enige navrae het.

Regards / Groete
Donovan Henning

Nemai Consulting
Tel : (011) 781 1730
Fax : (011) 781 1731
Mobile : 082 891 0604
Email : donavanh@nemai.co.za
Address : 147 Bram Fischer Drive Ferndale, 2194
Postal Address : PO Box 1673, Sunninghill, 2157





Tue 04/09/2018 03:05 PM

Donovan Henning

10580 - MCWAP-2A EIA - Resubmission of Application

To

Bcc: Donovan Henning; hanover@thabaneet.c; servitudewatch@gmail; tertius.roux@gmail; jhavgenga@coastalhire.; tjotha@icon.c; johann@cluster5.c; graeme@smartenergy-sa; ben@morgenzongamefarm; hunt@kuche.c; koosvorster10@gmail; neelsspies@gmail; simleesims@gmail; cwwhite@thabang; mswhite@telkomsa; polla@steenbokpan.c; kruger.pretorius@sgs; krimpvarkies@gmail; hills@absamail.c; ampie@thabaneet.c; adam@gunnattorneys.; t.j@mtloaded.c; ackerman@dws.go; GawieP@hdelitysecurity.; LindieSw@hdelitysecurity.; Fransie.beukes@selepeproject; bertusg@ntk.c; sonam@gunnattorneys.; manager@thecoves.c; tioukola@webmail.c; dennis@thabatholo.c; wouter@thabatholo.c; rubin@thabatholo.c; jamco@vodamail.c; charles@jaxxwax.c; gerhardhans1@-onlin; ghen@350.c; albertus_1@hotmail; elton@hb101.c; kranberg@telkomsa; elien@vandokem.c; wimley@telkomsa; trunett.de.beer@gmail; estatemanager@xanadu; heen@vestake.c; estatemanager@westake; manager@thecoves.c; manager@lakeland.c; gm@caribbeanbeach.; johanne@clusters.c; zoogang@mweb.c; tnicolai@boikarabelo.; Rvannierkerk@boikarabelo; hardus@amtc.; dithonso134@gmail; hunt@kuche.c; tioukola@webmail.c; moebes@xinet.c; phgtraming@gmail; nicolene@eopiet.c; hmccabe@bobcatsa.c; chris.labuschagne@exxar; cornelia.muller@hotmail; francina@wwao; francinaemtynkosi@gmail; Wej.forum@gmail.; Kruger.Pretorius@sgs; Jurisbrahmene@gmail; info@waterberconstructio; embee@coastalhire.c; thabos@earthlife.c; kevin.ooddard@exxarc; wei.forum@gmail.; bakie.de.beer@gmail; cornelia.muller@hotmail; rdb@dmv.c; anlemtrust@hotmail; wilhelm@ekowild.c; makooaboere@gmail

You forwarded this message on 04/09/2018 03:08 PM.

PROPOSED MOKOLO AND CROCODILE RIVER (WEST) WATER AUGMENTATION PROJECT PHASE 2A (MCWAP-2A): WATER TRANSFER INFRASTRUCTURE

The Final Scoping Report for the abovementioned project was accepted by the Department of Environmental Affairs (DEA) on 14 May 2018. This allowed for the commencement of the Environmental Impact Assessment (EIA) Phase.

An extension was subsequently requested from DEA for the submission of the Final EIA Report to this Department, due to the vast project footprint that needed to be assessed and the various specialist studies that needed to be completed (amongst others). Although DEA did not grant the extension, it was indicated that if the application lapses then a new application and a Draft EIA Report may be submitted to the Department in terms of Regulation 21(2) of the EIA Regulations of 2014 (as amended) and that the timeframes as prescribed in these regulations will still be applicable.

In accordance with Regulation 21(2)(b) of the EIA Regulations of 2014 (as amended), this serves to notify the Interested and Affected Parties of the following:

1. The application for the abovementioned project lapsed at the end of August 2018; and
2. It is the intention to resubmit the application for the abovementioned project and to proceed with the EIA in accordance with Regulation 21(2) of the EIA Regulations of 2014 (as amended).

Separate notification will be provided in due course of the public review period of the Draft EIA Report and the associated public meetings to be convened to present the findings of the EIA phase.

You are welcome to contact us if you have any queries.

VOORGESTELDE MOKOLO EN KROKODILRIVIER (WES) WATERAANVULLINGSPROJEK FASE 2A (MKWAP-2A): WATEROORDRAGSKEMA

Die Finale Omvangsbepalingsverslag vir die bogenoemde projek is aanvaar deur die Departement van Omgewingsake op 14 Mei 2018. Dit het toegelaat dat daar met die Omgewingsimpakbepaling(OIB)-fase voortgegaan kon word.

'n Verlenging van die tydperk vir die indiening van die Finale OIB-verslag is daarna vanaf die Departement van Omgewingsake versoek weens, onder andere, die algehele omvang van die projek wat ondersoek moes word sowel as die verskeie spesialis-studies wat uitgevoer moes word. Alhoewel die Departement van Omgewingsake nie die verlenging toegestaan het nie, is daar aangedui dat indien die aansoek sou verval daar 'n nuwe aansoek en die konsep OIB-verslag by die Departement ingedien kon word ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig). Die tydraam wat in dié regulasies voorgeskryf word sal steeds geldig wees.

Kragtens Regulasie 21(2)(b) van die OIB-Regulasies van 2014 (soos gewysig), word hiermee kennis gegee aan die Belanghebbende en Geaffekteerde Partye van die volgende:

1. Die aansoek vir die bogenoemde projek het verval aan die einde van Augustus 2018; en
2. Dit is die bedoeling om die aansoek vir die bogenoemde projek weer in te dien en om die OIB voort te sit ingevolge Regulasie 21(2) van die OIB-Regulasies van 2014 (soos gewysig).

Aparte kennisgewing sal mettertyd gegee word van die openbare besigtigingsperiode van die Konsep OIB-verslag en die gepaardgaande openbare vergaderings om die bevindinge van die OIB-fase aan te bied.

Kontak ons gerus indien u enige navrae het.

Regards / Groete
Donovan Henning

Nemai Consulting

Tel : (011) 781 1730

Fax : (011) 781 1731

Mobile : 082 891 0604

Email : donavanh@nemai.co.za

Address : 147 Bram Fischer Drive Ferndale, 2194

Postal Address : PO Box 1673, Sunninghill, 2157



SMS PROOF

Date / Time	Contact No.	Status	Message Body
2018-09-05 16:10:04.0	27848426860	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27848426860	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27848426860	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27848426860	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27826000233	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27826000233	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27826000233	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27826000233	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27833045703	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27833045703	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27833045703	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27833045703	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27833438049	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27833438049	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27833438049	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27833438049	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27824787681	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27824787681	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27824787681	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27824787681	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27827756768	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran

2018-09-05 16:10:04.0	27827756768	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27827756768	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27827756768	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27832872977	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27832872977	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27832872977	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27832872977	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27824226621	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27824226621	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27824226621	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27824226621	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27718817413	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27718817413	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27718817413	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27718817413	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27835284030	Failed	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27835284030	Failed	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27835284030	Failed	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27835284030	Failed	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27839493199	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27839493199	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27839493199	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor

2018-09-05 16:10:04.0	27839493199	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27764865835	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27764865835	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27764865835	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27764865835	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27832585824	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27832585824	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27832585824	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27832585824	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27832537881	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27832537881	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27832537881	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27832537881	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27825508960	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27825508960	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27825508960	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27825508960	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27834581334	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27834581334	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27834581334	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27834581334	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27828809300	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran

2018-09-05 16:10:04.0	27828809300	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27828809300	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27828809300	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27833330000	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27833330000	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27833330000	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27833330000	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27827166702	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27827166702	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27827166702	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27827166702	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27733267820	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27733267820	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27733267820	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27733267820	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27834688998	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27834688998	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27834688998	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27834688998	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27797935180	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27797935180	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27797935180	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor

2018-09-05 16:10:04.0	27797935180	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27832552368	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27832552368	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27832552368	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27832552368	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27829280836	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27829280836	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27829280836	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27829280836	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27823609464	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27823609464	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27823609464	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27823609464	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27825509003	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27825509003	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27825509003	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27825509003	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27714449368	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27714449368	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27714449368	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27714449368	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27827836904	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran

2018-09-05 16:10:04.0	27827836904	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27827836904	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27827836904	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27837447835	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27837447835	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27837447835	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27837447835	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27820961004	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27820961004	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27820961004	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27820961004	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27832356438	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27832356438	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27832356438	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27832356438	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27829030594	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27829030594	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27829030594	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27829030594	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27832273420	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27832273420	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27832273420	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor

2018-09-05 16:10:04.0	27832273420	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27716598268	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27716598268	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27716598268	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27716598268	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27711461244	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27711461244	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27711461244	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27711461244	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27836320821	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27836320821	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27836320821	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27836320821	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27837310588	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27837310588	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27837310588	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27837310588	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27828014350	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27828014350	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27828014350	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27828014350	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27832540729	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran

2018-09-05 16:10:04.0	27832540729	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27832540729	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27832540729	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27832540730	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27832540730	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27832540730	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27832540730	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27822541664	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27822541664	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27822541664	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27822541664	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27833100310	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27833100310	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27833100310	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27833100310	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27823881265	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27823881265	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27823881265	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27823881265	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27825762042	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27825762042	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27825762042	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor

2018-09-05 16:10:04.0	27825762042	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27823731531	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27823731531	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27823731531	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27823731531	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27824688674	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27824688674	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27824688674	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27824688674	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27828704785	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27828704785	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27828704785	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27828704785	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27782204402	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27782204402	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27782204402	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27782204402	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27835648818	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27835648818	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27835648818	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27835648818	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27828548654	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran

2018-09-05 16:10:04.0	27828548654	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27828548654	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27828548654	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27827716925	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27827716925	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27827716925	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27827716925	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27730686392	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27730686392	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27730686392	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27730686392	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27828638696	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27828638696	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27828638696	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27828638696	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27832273119	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27832273119	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27832273119	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27832273119	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27824450938	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27824450938	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27824450938	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor

2018-09-05 16:10:04.0	27824450938	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27782331856	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27782331856	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27782331856	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27782331856	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27828517504	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27828517504	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27828517504	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27828517504	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27836573080	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27836573080	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27836573080	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27836573080	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27842813785	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27842813785	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27842813785	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27842813785	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27769210129	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27769210129	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27769210129	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27769210129	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27719048480	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran

2018-09-05 16:10:04.0	27719048480	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27719048480	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27719048480	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27836266582	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27836266582	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27836266582	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27836266582	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27824137898	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27824137898	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27824137898	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27824137898	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27832325224	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27832325224	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27832325224	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27832325224	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27826920355	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27826920355	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27826920355	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27826920355	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27825655916	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27825655916	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27825655916	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor

2018-09-05 16:10:04.0	27825655916	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27713547872	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27713547872	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27713547872	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27713547872	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27824518282	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27824518282	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27824518282	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27824518282	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27824903089	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27824903089	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27824903089	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27824903089	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27832635489	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27832635489	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27832635489	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27832635489	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27827739797	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27827739797	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27827739797	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27827739797	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27736813247	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran

2018-09-05 16:10:04.0	27736813247	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27736813247	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27736813247	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27823356441	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27823356441	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27823356441	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27823356441	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27795238019	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27795238019	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27795238019	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27795238019	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27835564119	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27835564119	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27835564119	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27835564119	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27824449160	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27824449160	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27824449160	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27824449160	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27825787230	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27825787230	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27825787230	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor

2018-09-05 16:10:04.0	27825787230	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27834540804	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27834540804	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27834540804	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27834540804	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27832684626	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27832684626	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27832684626	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27832684626	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27827836903	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27827836903	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27827836903	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27827836903	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27632882089	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27632882089	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27632882089	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27632882089	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27878035976	Failed: de	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27878035976	Failed: de	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27878035976	Failed: de	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27878035976	Failed: de	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27878021137	Failed: de	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran

2018-09-05 16:10:04.0	27878021137	Failed: de	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27878021137	Failed: de	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27878021137	Failed: de	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27810886010	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27810886010	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27810886010	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27810886010	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27835312894	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27835312894	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27835312894	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27835312894	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27829078684	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27829078684	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27829078684	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27829078684	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27722923572	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27722923572	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27722923572	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27722923572	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27768996381	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27768996381	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27768996381	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor

2018-09-05 16:10:04.0	27768996381	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27828070924	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27828070924	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27828070924	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27828070924	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27824213182	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27824213182	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27824213182	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27824213182	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27734385948	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27734385948	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27734385948	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27734385948	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27825700555	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27825700555	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27825700555	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27825700555	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27828814421	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27828814421	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27828814421	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27828814421	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27722215470	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran

2018-09-05 16:10:04.0	27722215470	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27722215470	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27722215470	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27763349221	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27763349221	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27763349221	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27763349221	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27828051852	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27828051852	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27828051852	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27828051852	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27832555383	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27832555383	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27832555383	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27832555383	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27836278113	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27836278113	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27836278113	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27836278113	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27836519964	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27836519964	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27836519964	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor

2018-09-05 16:10:04.0	27836519964	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27823319619	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27823319619	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27823319619	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27823319619	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27837872542	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27837872542	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27837872542	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27837872542	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27826074611	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27826074611	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27826074611	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27826074611	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27812713117	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27812713117	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27812713117	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27812713117	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27828093768	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27828093768	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27828093768	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27828093768	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27828950028	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran

2018-09-05 16:10:04.0	27828950028	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27828950028	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27828950028	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27822510206	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27822510206	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27822510206	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27822510206	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27835070335	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27835070335	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27835070335	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27835070335	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27794555423	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27794555423	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27794555423	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27794555423	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27834171153	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27834171153	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27834171153	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27834171153	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27832784213	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27832784213	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27832784213	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor

2018-09-05 16:10:04.0	27832784213	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27828225903	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27828225903	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27828225903	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27828225903	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27834598841	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27834598841	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27834598841	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27834598841	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27836530326	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27836530326	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27836530326	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27836530326	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27791081702	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27791081702	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27791081702	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27791081702	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27735199366	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27735199366	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27735199366	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27735199366	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27847027964	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran

2018-09-05 16:10:04.0	27847027964	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27847027964	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27847027964	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27825762994	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27825762994	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27825762994	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27825762994	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27738896484	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27738896484	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27738896484	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27738896484	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27826630062	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27826630062	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27826630062	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27826630062	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27837658900	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27837658900	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27837658900	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27837658900	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27764510145	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27764510145	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27764510145	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor

2018-09-05 16:10:04.0	27764510145	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27833088683	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27833088683	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27833088683	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27833088683	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27834177368	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27834177368	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27834177368	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27834177368	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27824608774	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27824608774	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27824608774	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27824608774	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27152764252	Failed	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27152764252	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27152764252	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27152764252	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27837852542	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27837852542	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27837852542	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27837852542	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27738805494	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran

2018-09-05 16:10:04.0	27738805494	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27738805494	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27738805494	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27866024966	Failed: de	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27866024966	Failed: de	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27866024966	Failed: de	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27866024966	Failed: de	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27832585924	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27832585924	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27832585924	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27832585924	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27763086807	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27763086807	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27763086807	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27763086807	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27826506596	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27826506596	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27826506596	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27826506596	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27833108301	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27833108301	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27833108301	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor

2018-09-05 16:10:04.0	27833108301	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27829662543	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27829662543	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27829662543	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27829662543	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27834131755	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27834131755	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27834131755	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27834131755	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27833244787	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27833244787	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27833244787	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27833244787	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27824901623	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27824901623	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27824901623	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27824901623	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27835149689	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27835149689	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27835149689	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27835149689	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	2782558158	Failed	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran

2018-09-05 16:10:04.0	2782558158	Failed	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	2782558158	Failed	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	2782558158	Failed	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27824690638	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27824690638	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27824690638	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27824690638	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27837955014	Failed	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27837955014	Failed	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27837955014	Failed	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27837955014	Failed	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27721685072	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27721685072	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27721685072	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27721685072	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27798880827	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27798880827	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27798880827	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27798880827	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27824406125	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27824406125	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27824406125	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor

2018-09-05 16:10:04.0	27824406125	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27827752236	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27827752236	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27827752236	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27827752236	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27828914313	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27828914313	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27828914313	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27828914313	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27845844008	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27845844008	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27845844008	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27845844008	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27828706035	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27828706035	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27828706035	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27828706035	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27610104219	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27610104219	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27610104219	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27610104219	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27824134782	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran

2018-09-05 16:10:04.0	27824134782	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27824134782	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27824134782	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27828731781	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27828731781	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27828731781	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27828731781	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27729947416	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27729947416	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27729947416	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27729947416	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27825678086	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27825678086	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27825678086	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27825678086	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27829260970	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27829260970	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27829260970	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27829260970	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27827680354	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27827680354	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27827680354	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor

2018-09-05 16:10:04.0	27827680354	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27835299961	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27835299961	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27835299961	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27835299961	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27827899982	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27827899982	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27827899982	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27827899982	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27731144838	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27731144838	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27731144838	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27731144838	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27829030111	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27829030111	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27829030111	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27829030111	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27823783472	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27823783472	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27823783472	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27823783472	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27834178342	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran

2018-09-05 16:10:04.0	27834178342	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27834178342	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27834178342	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27761564436	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27761564436	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27761564436	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27761564436	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27768319126	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27768319126	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27768319126	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27768319126	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27837531199	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27837531199	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27837531199	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27837531199	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27630401770	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27630401770	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27630401770	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27630401770	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27827874168	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27827874168	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27827874168	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor

2018-09-05 16:10:04.0	27827874168	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27716038844	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27716038844	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27716038844	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27716038844	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27833047113	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27833047113	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27833047113	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27833047113	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27820521385	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27820521385	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27820521385	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27820521385	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27795128582	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27795128582	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27795128582	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27795128582	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27794416329	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27794416329	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27794416329	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27794416329	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27832689557	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran

2018-09-05 16:10:04.0	27832689557	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27832689557	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27832689557	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27726971480	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27726971480	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27726971480	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27726971480	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27828762353	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27828762353	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27828762353	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27828762353	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27826261908	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27826261908	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27826261908	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27826261908	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27714759630	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27714759630	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27714759630	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27714759630	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27834177768	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27834177768	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27834177768	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor

2018-09-05 16:10:04.0	27834177768	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27718772833	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27718772833	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27718772833	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27718772833	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27836026160	Failed	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27836026160	Failed	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27836026160	Failed	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27836026160	Failed	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27810437322	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27810437322	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27810437322	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27810437322	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27734271092	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27734271092	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27734271092	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27734271092	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27823279443	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27823279443	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27823279443	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27823279443	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27835634797	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran

2018-09-05 16:10:04.0	27835634797	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27835634797	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27835634797	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)
2018-09-05 16:10:04.0	27603802814	Delivered	Notice is hereby given, in accordance with Regulation 21(2)(b) of the 2014 EIA Regulations (as amended), that the application for the MCWAP-2A Water Tran
2018-09-05 16:10:04.0	27603802814	Delivered	sfer Infrastructure lapsed at the end of August 2018. The intention is to resubmit the application for the abovementioned project and proceed from the EI
2018-09-05 16:10:04.0	27603802814	Delivered	A Phase. Separate notification will be provided in due course of the public review period of the Draft EIA Report and associated public meetings. For mor
2018-09-05 16:10:04.0	27603802814	Delivered	e information contact Donovan Henning from Nemai Consulting (0117811730; donavanh@nemai.co.za)