

## APPENDIX B

---

### DEA APPROVAL OF SCOPING REPORT



## environmental affairs

Department:  
Environmental Affairs  
**REPUBLIC OF SOUTH AFRICA**

Private Bag X 447 · PRETORIA · 0001 · Environment House · 473 Steve Biko Road, Arcadia, · PRETORIA  
Tel (+ 27 12) 399 9372

**NEAS Reference:** DEA/EIA/0002081/2013

**DEA Reference:** 14/12/16/3/3/94

**Enquiries:** Masina Litsoane

**Telephone:** 012-399-9375 **E-mail:** [MLitsoane@environment.gov.za](mailto:MLitsoane@environment.gov.za)

Mr Donovan Henning  
Nemai Consulting  
P.O. Box 1673  
**SUNNINGHILL**  
2157

Fax No: 011-781-1731  
E-Mail: [DonavanH@nemai.co.za](mailto:DonavanH@nemai.co.za)

### PER FACSIMILE / MAIL

Dear Mr Henning

### APPLICATION FOR ENVIRONMENTAL AUTHORISATION: PROPOSED UMKHOMAZI WATER PROJECT PHASE 1 – RAW WATER INFRASTRUCTURE KWA-ZULU NATAL PROVINCE

The Final Scoping Report (FSR) and Plan of Study for Environmental Impact Assessment dated October 2014 and received by the Department on 31 October 2014 refer.

The Department has evaluated the submitted FSR and the Plan of Study for Environmental Impact Assessment dated October 2014 and is satisfied that the documents comply with the minimum requirements of the Environmental Impact Assessment (EIA) Regulations, 2010. The FSR is hereby accepted by the Department in terms of regulation 30(1)(a) of the EIA Regulations, 2010.

You may proceed with the environmental impact assessment process in accordance with the tasks contemplated in the Plan of Study for Environmental Impact Assessment as required in terms of the EIA Regulations, 2010.

Please ensure that comments from all relevant stakeholders are submitted to the Department with the Final Environmental Impact Report (EIR). This includes but is not limited to EzeMvelo KZN Wildlife, WESSA, KZN: Department of Agriculture, Environmental Affairs and Rural Development, Department of Water Affairs Amafa KZN and SAHRA. Proof of correspondence with the various stakeholders must be included in the Final EIR. Should you be unable to obtain comments, proof should be submitted to the Department of the attempts that were made to obtain comments.

In addition, the following amendments and additional information are required for the EIR:

- a) Details of the future plans for the site and infrastructure after decommissioning in 20-30 years and the possibility of upgrading the proposed infrastructure to more advanced technologies.
- b) The total footprint of the proposed development should be indicated. Exact locations of the whole raw water infrastructure should be mapped at an appropriate scale.
- c) Should a Water Use License be required, proof of application for a license needs to be submitted.
- d) Possible impacts and effects of the development on the vegetation ecology with regard to lowland-highland interface in the locality should be indicated.
- e) The impacts of the proposed facility on avifauna and bats must be assessed in the EIA phase.

- f) Possible impacts and effects of the development on the surrounding industrial area.
- g) The EIR should include information on the following:
  - Environmental costs vs benefits of the water project activities; and
  - Economic viability of the facility to the surrounding area and how the local community will benefit.
- h) Information on services required on the site, e.g. sewage, refuse removal, water and electricity. Who will supply these services and has an agreement and confirmation of capacity been obtained?
- i) A construction and operational phase EMP to include mitigation and monitoring measures.
- j) Should blasting be required, appropriate mitigation measures should be provided.
- k) You are also requested to submit the **amended normal application form** (not Application Form for Integrated Environmental Authorisation) with original signatures to de-list the NEM:WA listed activities as are no longer applicable for the proposed development.

The applicant is hereby reminded to comply with the requirements of regulation 67 with regard to the time period allowed for complying with the requirements of the Regulations, and regulations 56 and 57 with regard to the allowance of a comment period for interested and affected parties on all reports submitted to the competent authority for decision-making. The reports referred to are listed in regulation 56(3a-3h).

Please ensure that the Final EIR includes at least one A3 regional map of the area. The maps must be of acceptable quality and as a minimum, have the following attributes:


- Maps are relatable to one another;
- Cardinal points;
- Co-ordinates;
- Legible legends;
- Indicate alternatives;
- Latest land cover;
- Vegetation types of the study area; and
- A3 size locality map.

Further, it must be reiterated that, should an application for Environmental Authorisation be subject to the provisions of Chapter II, Section 38 of the National Heritage Resources Act, Act 25 of 1999, then this Department will not be able to make nor issue a decision in terms of your application for Environmental Authorisation pending a letter from the pertinent heritage authority categorically stating that the application fulfils the requirements of the relevant heritage resources authority as described in Chapter II, Section 38(8) of the National Heritage Resources Act, Act 25 of 1999.

You are requested to submit three (3) copies of the Environmental Impact Report (EIR) to the Department and at least one electronic copy (CD/DVD) of the complete final report with the hard copy documents.

You are hereby reminded of Section 24F of the National Environmental Management Act, Act No 107 of 1998, as amended, that no activity may commence prior to an environmental authorisation being granted by the Department.

Yours faithfully



**Mr Sabelo Malaza**

**Chief Director: Integrated Environmental Authorisations**

**Department of Environmental Affairs**

**Letter signed by: Ms Milicent Solomons**

**Designation: Director: Integrated Environmental Authorisations**

**Date: 26/03/2015.**

CC: Mr Steve Gillham	Umgeni Water <a href="mailto:Steve.gillham@umgeni.co.za">Steve.gillham@umgeni.co.za</a>	Fax: 033-341-1349
----------------------	---	-------------------