

## **DEPARTMENT OF WATER AND SANITATION**

NOTE: Applications must be submitted on a signed and dated Z83 form, obtainable from any Public Service Department, and should be accompanied by a comprehensive CV as well as certified copies of qualifications and Identity document. No late, faxed or e-mailed applications will be accepted. Correspondence will be limited to shortlisted candidates only. If you have not heard from us within two (2) months of the closing date, please accept that your application was unsuccessful. Preference will be given to previously disadvantage groups. Successful applicants will be required to undergo standard Government security clearance procedures including verification of qualifications. Should you be in a possession of a foreign qualification(s), it must be accompanied by an evaluation from South African Qualification Authority (SAQA). "All SMS shortlisted candidates will be subjected to a technical exercise that intends to test relevant technical elements of the job, the logistics of which will be communicated by the department. Following the interview and technical exercise, the selection panel will recommend candidates to attend a generic managerial competency assessment (in compliance with the DPSA Directive on the implementation of competency based assessments). The competency assessment will be testing generic managerial competencies using the mandated DPSA SMS competency assessment tools" People with disabilities are encouraged to apply for the posts. People who are not employed by the Public Service Departments are welcomed to apply for posts. The department reserves the right not to make an appointment.

APPLICATIONS : IBOM: Central Operations. Please forward your applications quoting the

relevant reference number to: The Department of Water and Sanitation, IBOM Central Operations, Private Bag X273, Pretoria, 0001, or hand deliver to 1st Floor, Praetor Forum Building, 267 Lillian Ngoyi Street, Pretoria. For

Attention: Mr KL Manganyi

CLOSING DATE : 12 August 2019 TIME: 16:00

POST : CHIEF ENGINEER – TUGELA VAAL (X1 POST) REF NO: 120819/01

CHIEF ENGINEER – JERICHO DAM (X1 POST) REF NO: 120819/02 CHIEF ENGINEER – FREE STATE (X1 POST) REF NO: 120819/03

BRANCH : IBOM Central Operations

SALARY: R 1 042 827 per annum (OSD)

**CENTRE**: Tugela Vaal, Jericho Dam, Free State

**REQUIREMENTS**: An Engineering degree (B Eng / BSc (Eng). Six (6) years post qualification

experience. Compulsory registration with ECSA as a Professional Engineer (Attach proof of registration). A valid driver's Licence (certified copy must be attached). Strategic capability and leadership. Problem solving and analytical skills. Decision making, team leadership and creativity. Knowledge of financial management and customer focus. Experience in programme and project management. Knowledge and experience in engineering legal and operational compliance. Good engineering operational communication.

Process knowledge and skills.

**DUTIES**: Manage the area office in the Central Operations Directorate. Implementation

of Water Resource. Infrastructure operations. Medium-to-long term plans to ensure continuation of service delivery. Short term plan to schedule tasks for efficient operations and maintenance. Effective dam safety practices and emergency preparedness plans. Emergency plans for any emergency situations that may jeopardise lives and equipment in the area office. Maintenance and betterment plans, including general maintenance and related facilities. Provide leadership and directions as well as be responsible for facilities for financial management and corporate support in the Cluster Officer. Prepare and manage Area office budget. Manage and control state-owned land and facilities related to water resource infrastructure. Ensure monitoring and evaluation of Cluster Office activities as well as reporting thereon. Manage administration and technical staff. Promote good stakeholder relations and ensure a customer-focused service delivery related

to water resources

**ENQUIRIES**: Ms ND Ndumo, Tel: 012 741 7302